

A Current List of the Moths (Lepidoptera) of West Bengal

SURESH KR. SHAH, APURVA DAS, RITAM DUTTA and BULGANIN MITRA

Zoological Survey of India,
New Alipore, Kolkata-700053.

Email: skshah082@gmail.com

(Contd. from vol. 20, no. 1, pp. 29)

	Family GEOMETRIDAE	525	<i>Opisthograptis sulphurea</i> (Butler, 1880)
	Subfamily Ennominae (contd.)	526	<i>Opisthograptis tridentifera</i> (Moore, 1888)
487	<i>Hyposidra talaca</i> (Walker, 1860)	527	<i>Opisthotia tumidilinea</i> (Moore, 1888)
488	<i>Iridoplecta ferrifera</i> (Moore, 1888)	528	<i>Ourapteryx ebuleata</i> (Guenée, 1858)
489	<i>Krananda semihyalina</i> (Moore, 1868)	529	<i>Ourapteryx picticaudata</i> (Walker, 1860)
490	<i>Leptodontopera basipuncta</i> (Moore, 1867)	530	<i>Ourapteryx primularis</i> (Butler, 1886)
491	<i>Leptomiza calcearia</i> (Walker, 1860)	531	<i>Paradarisa comparataria</i> (Walker, 1866)
492	<i>Leptomiza dentilineata</i> (Moore, 1887)	532	<i>Paralcis conspicuata</i> (Moore, 1888)
493	<i>Lomographa alba</i> Moore, (1888)	533	<i>Paraperania giraffata</i> (Guenée, 1858)
494	<i>Lomographa platyleucata</i> (Walker, 1866)	534	<i>Parasyntegia pluristriaria</i> (Walker, 1863)
495	<i>Luxiaria obliquata</i> Moore, 1888	535	<i>Peetula exanthemata</i> (Moore, 1888)
496	<i>Luxiaria tephrosaria</i> (Moore, 1868)	536	<i>Peratophyga hyalinata</i> (Kollar, 1844)
497	<i>Medasina albidaria</i> (Walker, 1866)	537	<i>Peratostega deletaria</i> (Moore, 1888)
498	<i>Medasina basistrigaria</i> (Moore, 1867)	538	<i>Percnia ductaria</i> (Walker, 1862)
499	<i>Medasina combustaria</i> (Walker, 1866)	539	<i>Percnia felinaria</i> (Guenée, 1858)
500	<i>Medasina contaminata</i> (Moore, 1887)	540	<i>Percnia foraria</i> (Guenée, 1858)
501	<i>Medasina creataria</i> (Guenée, 1858)	541	<i>Petelia medardaria</i> (Herrich-Schäffer, 1856)
502	<i>Medasina dissimilis</i> Moore, 1887	542	<i>Petelia</i> sp.
503	<i>Medasina fratercula</i> Moore, 1887	543	<i>Plutodes subcaudata</i> (Butler, 1880)
504	<i>Medasina interruptaria</i> (Moore, 1867)	544	<i>Pomasia oblitterata</i> (Walker, 1866)
505	<i>Medasina mauraria</i> (Guenée, 1858)	545	<i>Pristostegania trilineata</i> (Moore, 1868)
506	<i>Medasina mucidaria</i> (Walker, 1866)	546	<i>Probitia exclusa</i> (Walker, 1860)
507	<i>Medasina objectaria</i> (Walker, 1866)	547	<i>Prothinia pallidaria</i> (Moore, 1881)
508	<i>Medasina similis</i> Moore, 1888	548	<i>Pseudomiza castanearia</i> (Moore, 1868)
509	<i>Medasina strixaria</i> (Guenée, 1858)	549	<i>Pseudopanthera himalayica</i> (Kollar, 1844)
510	<i>Medasina vagans</i> (Moore, 1887)	550	<i>Psilalcis albibasis</i> (Hampson, 1895)
511	<i>Menophra decorata</i> (Moore, 1867)	551	<i>Psilalcis inceptaria</i> (Walker, 1866)
512	<i>Menophra subplagiata</i> (Walker, 1860)	552	<i>Psyra angulifera</i> (Walker, 1866)
513	<i>Micronidia simpliciata</i> (Moore, 1868)	553	<i>Psyra cuneata</i> (Walker, 1860)
514	<i>Mimochroa albifrons</i> (Moore, 1888)	554	<i>Psyra spurcataria</i> (Walker, 1863)
515	<i>Mimochroa lugens</i> (Butler, 1880)	555	<i>Racotis boarmiaria</i> (Guenée, 1858)
516	<i>Myrioblephara conifera</i> (Moore, 1888)	556	<i>Rhynchobapta cervinaria</i> (Moore, 1888)
517	<i>Myrioblephara duplexa</i> (Moore, 1888)	557	<i>Sabaria incitata</i> (Walker, 1862)
518	<i>Myrioblephara idaeoides</i> (Moore, 1888)	558	<i>Sabaria rondelaria</i> (Fabricius, 1775)
519	<i>Myrteta planaria</i> (Walker, 1861)	559	<i>Scardamia metallaria</i> (Guenée, 1858)
520	<i>Nothomiza dentisignata</i> (Moore, 1867)	560	<i>Semiothisa avitusaria</i> (Walker, 1860)
521	<i>Odontopera cervinaria</i> (Moore, 1867)	561	<i>Semiothisa effusata</i> (Guenée, 1858)
522	<i>Odontopera similaria</i> (Moore, 1888)	562	<i>Semiothisa eleonora</i> (Stoll, 1780)
523	<i>Omiza pachiararia</i> Walker, 1860	563	<i>Semiothisa elvirata</i> (Guenée, 1858)
524	<i>Ophthalmitis herbidaria</i> (Guenée, 1858)	564	<i>Semiothisa emersaria</i> (Walker, 1861)

- 565 *Semiothisa fasciata* (Stoll, 1780)
 566 *Semiothisa frugaliata* (Guenée, 1858)
 567 *GSemiothisa nora* (Walker, 1861)
 568 *Semiothisa ozararia* (Walker, 1860)
 569 *Semiothisa pluviata* (Fabricius, 1795)
 570 *Semiothisa vasudeva* (Walker, 1861)
 571 *Sirinopteryx rufivinctata* (Walker, 1862)
 572 *Synegia camptogrammaria* (Guenée, 1858)
 573 *Synegia* sp.
 574 *Systema semicirculata* (Moore, 1868)
 575 *Tanaoctenia haliaria* (Walker, 1861)
 576 *Thinopteryx crocoptera* (Kollar, 1844)
 577 *Vindusara metachromata* (Walker, 1862)
 578 *Xandrames albofasciata* (Moore, 1868)
 579 *Xandrames dholaria* (Moore, 1868)
 580 *Xerodes ypsaria* (Guenée, 1858)
 581 *Zeheba lucidata* (Walker, 1863)
- Subfamily Geometrinae**
- 582 *Actenochroma muscicoloraria* (Walker, 1863)
 583 *Agathia arcuata* Moore, 1868
 584 *Agathia beata* Butler, 1880
 585 *Agathia hilarata* Guenée, 1858
 586 *Agathia laetata* (Fabricius, 1794)
 587 *Agathia lycanaria* (Kollar, 1844)
 588 *Agathia visenda* Butler, 1880
 589 *Anisozyga textilis* (Butler, 1880)
 590 *Berta chrysolineata* Walker, 1863
 591 *Chloeres quantula* (Swinhoe, 1885)
 592 *Chlorissa distinctaria* (Walker, 1866)
 593 *Chlorodontopera chalybeata* (Moore, 1872)
 594 *Chlorodontopera discospilata* (Moore, 1868)
 595 *Comibaena cassidara* (Guenée, 1858)
 596 *Comostola laesaria* (Walker, 1861)
 597 *Dindica polyphaenaria* (Guenée, 1858)
 598 *Dooabia viridata* (Moore, 1868)
 599 *Dysphania malayanus recessa* Walker, 1861
 600 *Dysphania militaris* (Linnaeus, 1758)
 601 *Epipristis minimaria* (Guenée, 1858)
 602 *Gelasma acutissima* goniaria Felder, 1875
 603 *Gelasma thetydaria* Guenée, 1857
 604 *Hemithea costipunctata* (Moore, 1867)
 605 *Idioclora caudularia* (Guenée, 1858)
 606 *Iotaphora iridicolor* (Butler, 1880)
 607 *Jodis argutaria* (Walker, 1866)
 608 *Maxates coelataria* (Walker, 1861)
 609 *Microloxia herbaria* indecretata (Walker, 1863)
 610 *Mixochloravittata* (Moore, 1867)
 611 *Ornithospila avicularia* (Guenée, 1858)
 612 *Osteosema pastor* (Butler, 1880)
 613 *Osteosema sanguilineata* (Moore, 1867)
- 614 *Ourapteryx sciticaudaria* (Walker, 1863)
 615 *Pamphlebia rubrolimbraria* (Guenée, 1858)
 616 *Pelagodes* sp.
 617 *Pingasa chlora* (Stoll, 1752)
 618 *Pingasa ruginaria* (Guenée, 1858)
 619 *Rhomborista devexata* (Walker, 1861)
 620 *Tanaorhinus kina* (Swinhoe, 1893)
 621 *Tanaorhinus rafflesii* (Moore, 1860)
 622 *Terpna apicalis* (Moore, 1888)
 623 *Terpna costistrigaria* (Moore, 1867)
 624 *Terpna crocina* (Butler, 1880)
 625 *Terpna leopardinata* (Moore, 1867)
 626 *Terpna ornataria* (Moore, 1888)
 627 *Terpna pictaria* (Moore, 1888)
 628 *Terpna varicoloraria* (Moore, 1867)
 629 *Thalassodes opalina* (Butler, 1880)
 630 *Thalassodes quadraria* Guenée, 1857
- Subfamily Larentiinae**
- 631 *Acolutha pictaria* (Moore, 1888)
 632 *Acolutha pulchella* (Hampson, 1895)
 633 *Agnibesa recurvilineata* (Moore, 1888)
 634 *Apithecia viridata* (Moore, 1868)
 635 *Asthena albosignata* (Moore, 1888)
 636 *Brabira artemidora* Oberthür, 1884
 637 *Brabira atkinsonii* Moore, 1888
 638 *Callabraxas amanda* Butler, 1880
 639 *Carige cruciplaga* (Walker, 1861)
 640 *Cataclysmes conturbata* (Walker, 1863)
 641 *Chloroclystis chlorophilata* (Walker, 1863)
 642 *Cidaria* sp.
 643 *Collix ghosha* (Walker, 1862)
 644 *Collix hyospilata* (Guenée, 1858)
 645 *Colostygia albigirata* (Kollar, 1844)
 646 *Cosmorhoe argentilineata* (Moore, 1867)
 647 *Cosmorhoe siderifera* (Moore, 1888)
 648 *Docirava fulgurata* (Guenée, 1858)
 649 *Docirava pudicata* (Guenée, 1858)
 650 *Dysstroma subapicaria* (Moore, 1868)
 651 *Ecliptopera delecta* (Butler, 1880)
 652 *Ecliptopera muscicolor* (Moore, 1888)
 653 *Ecliptopera oblongata* (Guenée, 1858)
 654 *Ecliptopera triangulifera* (Moore, 1888)
 655 *Eois plicata* (Moore, 1888)
 656 *Euphyia cineraria* Butler, 1878
 657 *Euphyia mediovittaria* (Moore, 1868)
 658 *Euphyia ochreatea* (Moore, 1888)
 659 *Euphyia scortea* (Swinhoe, 1891)
 660 *Eupithecia lineosa* (Moore, 1888)
 661 *Eupithecia tricrossa* (Prout, 1926)
 662 *Eupithecia ustata* (Moore, 1888)

663. *Eustroma aurantiaria* (Moore, 1867)
 664. *Eustroma aurigena* (Butler, 1880)
 665. *Eustroma lativittaria* (Moore, 1868)
 666. *Gonanticlea anticleara* (Moore, 1888)
 667. *Hastina gemmifera* Moore, 1867
 668. *Heterophleps bicommatata* (Warren, 1893)
 669. *Horisme flavofasciata* (Moore, 1888)
 670. *Hydrelia bicolorata* (Moore, 1868)
 671. *Hydrelia subobliquaria* (Moore, 1868)
 672. *Hyperorhynchus erectilineata* (Moore, 1888)
 673. *Laciniodes plurilinearia* (Moore, 1868)
 674. *Lobogonodes multistriata* (Butler, 1889)
 675. *Loxofidonia obfuscata* (Warren, 1893)
 676. *Melanthia catenaria* Moore, 1971
 677. *Naxidia punctata* (Butler, 1880)
 678. *Naxidia roseni* (Wehrli, 1931)
 679. *Orthonama obstipatum* (Fabricius, 1794)
 680. *Palaeomytis falcata* (Moore, 1868)
 681. *Pareustroma fissisignis* (Butler, 1880)
 682. *Perizoma affinis* (Moore, 1888)
 683. *Perizoma alchemillata* (Linnaeus, 1758)
 684. *Perizoma decorata* (Moore, 1888)
 685. *Perizoma maculata* (Moore, 1888)
 686. *Perizoma plumbeata* (Moore, 1888)
 687. *Perizoma schistacea* (Moore, 1888)
 688. *Perizoma seriata* Moore, 1888
 689. *Photoscotia metachryseis* (Hampson, 1896)
 690. *Photoscotia miniosata* (Walker, 1862)
 691. *Photoscotia nubilata* (Moore, 1888)
 692. *Sauris hirudinata* (Guenée, 1858)
 693. *Sauris ignobilis* (Butler, 1880)
 694. *Sauris lineosa* (Moore, 1888)
 695. *Syzeuxis trinotaria* (Moore, 1868)
 696. *Trichoplites cuprearia* (Moore, 1868)
 697. *Trichoplites lateritiatata* (Moore, 1888)
 698. *Trichopterigia decorata* (Moore, 1888)
 699. *Triphosa expansa* (Moore, 1888)
 700. *Venusia obliquisigna* (Moore, 1888)
 701. *Xanthorhoe curcumata* (Moore, 1939)
 702. *Xanthorhoe sordidata* (Moore, 1888)
Subfamily Oenochrominae
 703. *Sarcinodes aequilinearia* (Walker, 1860)
 704. *Sarcinodes carnearia* (Guenée, 1858)
 705. *Sarcinodes debitaria* (Walker, 1863)
 706. *Sarcinodes restitutaria* (Walker, 1863)
Subfamily Sterrhinae
 707. *Anisodes obrinaria* (Guenée, 1858)
 708. *Antirygodes divisaria* (Walker, 1861)
 709. *Craspediopsis pallivittata* (Moore, 1868)
 710. *Cyclophora punctaria* (Linnaeus, 1758)
 711. *Idaea actiosaria* (Walker, 1861)
 712. *Idaea acuminata* (Moore, 1888)
 713. *Idaea macrospila* (Prout, 1926)
 714. *Perixera absconditaria* (Walker, 1863)
 715. *Problepsis deliaria* (Guenée, 1858)
 716. *Problepsis delphiaria* (Guenée, 1858)
 717. *Problepsis vulgaris* (Butler, 1889)
 718. *Rhodometra sacraria* (Linnaeus, 1767)
 719. *Rhodostrophia vinacearia* (Moore, 1868)
 720. *Scopula actuararia* (Walker, 1861)
 721. *Scopula albomaculata* (Moore, 1888)
 722. *Scopula aspilataria* (Walker, 1861)
 723. *Scopula cuneilinea* (Walker, 1863)
 724. *Scopula emissaria* (Walker, 1861)
 725. *Scopula ferrilineata* (Moore, 1888)
 726. *Scopula fibulata* (Guenée, 1858)
 727. *Scopula fluidaria* (Swinhoe, 1886)
 728. *Scopula mecysma* (Swinhoe, 1894)
 729. *Scopula minorata* (Boisduval, 1833)
 730. *Scopula moorei* (Cotes & Swinhoe, 1888)
 731. *Scopula opicata* (Fabricius, 1798)
 732. *Scopula pulchellata* (Fabricius, 1794)
 733. *Scopula pulverosa* (Prout, 1934)
 734. *Scopula remotata* (Guenée, 1858)
 735. *Scopula* sp.
 736. *Scopula walkeri* (Butler, 1883)
 737. *Somatina anthophilata* (Guenée, 1858)
 738. *Synegiodes hyriaria* (Walker, 1866)
 739. *Synegiodes sanguinaria* (Moore, 1868)
 740. *Timandra aventiaria* Guenee, 1858
 741. *Timandra convectaria* (Walker, 1861)
 742. *Timandra correspondens* (Hampson, 1895)
 743. *Timandra mundissima* (Walker, 1861)
 744. *Traminda* sp.
Family GRACILLARIIDAE
Subfamily Gracillariinae
 745. *Acrocercops diacentrota* Meyrick, 1935
 746. *Synnympha perfrenis* Meyrick, 1920
Family HELIODINIDAE
 747. *Stathmopoda chrysoxesta* Meyrick, 1923
Family LASIOCAMPIDAE
 748. *Bharetta cinnamomea* Moore, 1865
 749. *Crinocraspeda torrida* (Moore, 1879)
 750. *Kosala flavosignata* (Moore, 1879)
 751. *Odonestis bheroba* Moore, 1858/59
 752. *Paradoxopta sinuata* (Moore, 1879)
 753. *Paralebeda plagifera* (Walker, 1855)
 754. *Suana concolor* (Walker, 1855)

755. *Syrastrena minor* (Moore, 1879)
Subfamily Lasiocampinae
756. *Arguda decurtata* Moore, 1879
 757. *Arguda vinata* (Moore, 1865)
 758. *Eteinopla signata* (Moore, 1879)
 759. *Euthrix decisa* (Walker, 1855)
 760. *Gastropacha lidderdali* Druce
 761. *Gastropacha sikkima* Moore, 1879
 762. *Kunugia divaricata* (Moore, 1884)
 763. *Kunugia fulgens* (Moore, 1879)
 764. *Kunugia latipennis* (Walker, 1855)
 765. *Kunugia leucopicta* (Tams, 1928)
 766. *Kunugia lineata* (Moore, 1879)
 767. *Kunugia omeiensis* (Tsai & Liu, 1964)
 768. *Lebeda nobilis* Walker, 1855
 769. *Metanastria hyrtaca* (Cramer, 1782)
 770. *Streblote dorsalis* (Walker, 1866)
 771. *Streblote siva* (Lefèbvre, 1827)
 772. *Trabala vishnou* (Lefèbvre, 1827)
Family LECITHOCERIDAE
773. *Frisilia crossophaea* (Meyrick, 1931)
Family LIMACODIDAE
774. *Altha nivea* Walker, 1862
 775. *Macroleptera unicolor* (Moore, 1858-1859)
 776. *Phocoderma veluina* (Kollar, 1844)
Subfamily Limacodinae
777. *Parasa isabella* Moore, 1859
 778. *Thosea cana* (Walker, 1865)
 779. *Thosea tripartita* (Moore, 1884)
Family NOCTUIDAE
- Subfamily Acontinae**
780. *Acontia notabilis* (Walker, 1857)
 781. *Eublemma pudica* (Snellen, 1880)
 782. *Hyposada ruptifascia* (Moore, 1888)
 783. *Maliattha renalis* Moore, 1882
 784. *Ozarba incondita* Butler, 1889
Subfamily Acronictinae
785. *Athetis cognata* Moore, 1882
 786. *Aucha velans* Walker, 1857
 787. *Chariclea marginalis* Walker, 1857
Subfamily Aganainae
788. *Asota caricae* Fabricius, 1775
Subfamily Agaristinae
789. *Aegocera bimacula* Walker, 1854
 790. *Aegocera venulia* (Cramer, 1777)
 791. *Episteme adulatrix* (Kollar, 1844)
 792. *Mimeusemia basalis* (Walker, 1854)
Subfamily Bryophilinae
793. *Cryphia albistigma* (Moore, 1867)
- Subfamily Calpinae**
794. *Hypocala subsatura* (Guenée, 1852)
Subfamily Hadeninae
795. *Appana indica* (Moore, 1867)
 796. *Borolia percussa* (Butler, 1880)
 797. *Diphthera pulchripicta* Walker, 1865
 798. *Leucania moorei* (Swinhoe, 1902)
 799. *Mudaria cornifrons* Moore, 1893
 800. *Paradrina clavipalpis* (Scopoli, 1763)
 801. *Pseudaletia unipuncta* (Haworth, 1809)
 802. *Xenotrachea auroviridis* (Moore, 1867)
Subfamily Hypeninae
803. *Dichromia trigonalis* Guenée, 1854
 804. *Rivula ochracea* (Moore, 1882)
Subfamily Noctuidae
805. *Agrotis cuprea* Moore, 1867
 806. *Euplexia albirena* Wileman, 1914
 807. *Feliniopsis leucostigma* (Moore, 1867)
 808. *Neurois atrovirens* Walker, 1865
 809. *Spodoptera litura* (Fabricius, 1775)
 810. *Spodoptera picta* (Guérin-Meneville, 1830)
 811. *Spodoptera pectinicornis* (Hampson, 1895)
Subfamily Plusiinae
812. *Chrysodeixis eriosoma* (Doubleday, 1843)
 813. *Trichoplusia lectula* (Walker, 1858)
Family NOLIDAE
- Subfamily Chloephorinae**
814. *Churia nigrisigna* Moore, 1881
 815. *Earias vittella* (Fabricius, 1794)
 816. *Gyrtothripa pusilla* (Moore, 1888)
Subfamily Eariadinae
817. *Earias cupreoviridis* (Walker, 1862)
 818. *Earias vittella* (Fabricius, 1794)
Subfamily Westermanniinae
819. *Westermannia superba* Hübner, 1823
Family NOTODONTIDAE
820. *Teleclita strigata* Moore, 1879
 821. *Turnaca acuta* Walker, 1865
Subfamily Dicranurinae
822. *Syntypistis perdix perdix* (Moore, 1879)
Subfamily Dudusinae
823. *Netria multispinae* Schintlmeister, 2006
Subfamily Notodontinae
824. *Cerura prasana* Moore, 1865
Subfamily Phalerinae
825. *Phalera raya* Moore, 1849
Subfamily Pygaerinae
826. *Clostera ferruginea* (Moore, 1865)
 827. *Clostera restituta* (Walker, 1865)

- Family OECOPHORIDAE**
- Subfamily Depressariinae**
828. *Cryptolechia centroleuca* Meyrick, 1922
- Subfamily Hypertrophinae**
829. *Thudaca obliquella* Walker, 1864
- Subfamily Oecophorinae**
830. *Arctoscelis epinyctia* Meyrick, 1894
831. *Casmara epicompsa* Meyrick, 1922
832. *Promalactis calathiscias* Meyrick, 1937
- Subfamily Stathmopodinae**
833. *Oedematopoda clerodendronella* (Stainton, 1859)
- Family PLUTELLIDAE**
834. *Ypsolophus astragalitis* (Meyrick, 1913)
- Family PSYCHIDAE**
835. *Kophene cuprea* Moore, 1879
836. *Kophene minor* Moore, 1879
837. *Metisa moorei* (Heylaerts, 1890)
- Subfamily Oiketiciinae**
838. *Mahasena graminivora* Hampson, 1895
839. *Platyptilia exaltatus* (Zeller, 1867)
- Family PYRALIDAE**
- Subfamily Epipaschiinae**
840. *Canipsa pyrallata* (Moore, 1888)
841. *Coenodomus hockingi* (Walsingham, 1888)
842. *Lamida moncusalis* Walker, 1859
843. *Lista haraldusalis* (Walker, 1859)
844. *Orthaga euadrusalis* (Walker, 1859)
- Subfamily Galleriinae**
845. *Achroia grisella* (Fabricius, 1794)
846. *Aphomia cephalonica* (Stainton, 1866)
847. *Galleria mellonella* (Linnaeus, 1758)
848. *Lamoria planalis* Walker, 1863
849. *Stenachroia elongella* Hampson, 1898
850. *Trachylepidia fructicassella* Ragonot, 1887
- Subfamily Phycitinae**
851. *Ancylosis mysorella* (Ragonot, 1888)
852. *Ancylosis resticula* (Hampson, 1896)
853. *Anonaepestis bengalella* Ragonot, 1894
854. *Cadra cautella* (Walker, 1863)
855. *Cathyalia fulvella* Ragonot, 1888
856. *Emmalocera paucigraphella* (Ragonot, 1888)
857. *Endotricha loricata* Moore, 1888
858. *Epicrocis oegnusalis* (Walker, 1859)
859. *Etiella behrii* (Zeller, 1848)
860. *Etiella zinckenella* (Treitschke, 1832)
861. *Euzophera perticella* (Ragonot, 1888)
862. *Faveria leucophaeella* (Zeller, 1867)
863. *Homoeosoma goliathella* Ragonot, 1888
864. *Hypsipyla robusta* (Moore, 1886)
865. *Hypsotropa grassa* Strand, 1918
866. *Hypsotropa sceletella* (Zeller, 1867)
867. *Metallosticha plumbeifasciella* (Hampson, 1896)
868. *Nephoterix eugraphella* Ragonot, 1888
869. *Phycita clientella* (Zeller, 1867)
870. *Phycita hemixanthella* Hampson, 1896
871. *Saluria opificella* (Zeller, 1867)
872. *Saluria paucigraphella* (Ragonot, 1888)
873. *Thylacoptila paurosema* (Meyrick, 1885)
- Subfamily Pyralinae**
874. *Endotricha loricata* Moore, 1888
875. *Hypsopygia igniflualis* (Walker, 1859)
876. *Hypsopygia mauritialis* (Boisduval, 1833)
877. *Hypsopygia nigrivitta* (Walker, 1863)
878. *Hypsopygia suffusalis* (Walker, 1866)
879. *Pyralis elongalis* (Kollar & Redtenbacher, 1844)
880. *Pyralis funebris* Warren, 1895
881. *Pyralis manihotalis* Guenée, 1854
882. *Pyralis phycidalis* Guenée, 1854
883. *Pyralis pictalis* (J. Curtis, 1834)
884. *Sacada discincta* (Moore, 1866)
885. *Ziitha torridalis* (Lederer, 1863)
- Family SATURNIIDAE**
- Subfamily Salassinae**
886. *Salassa lola* (Westwood, 1847)
887. *Salassa royi* (Elwes, 1887)
- Subfamily Saturniinae**
888. *Actias selene* Hübner, 1806
889. *Antheraea friihi* Moore, 1858
890. *Antheraea helferi* Moore, 1858
891. *Antheraea paphia* (Linnaeus, 1758)
892. *Antheraea pernyi roylei* Moore, 1858
893. *Archaeoattacus edwardsii* White, 1859
894. *Argema maenas* (Doubleday, 1847)
895. *Attacus atlas* (Linnaeus, 1758)
896. *Caligula anna* (Moore, 1865)
897. *Caligula lindia* Moore, 1865
898. *Caligula thibeta* (Westwood, 1853)
899. *Cricula drepanoides* Moore, 1865
900. *Cricula trifenestrata* Heifer, 1837
901. *Loepa katinka* (Westwood, 1848)
902. *Neoris huttoni* Moore, 1862
903. *Neoris zuleika* (Hope, 1843)
904. *Rhodinia newara* (Moore, 1872)
905. *Samia cynthia* (Drury, 1773)
- Family SESIIDAE**
906. *Paranthrene croconeura* Meyrick, 1926
907. *Trichocerota erythranches* Meyrick, 1926

(To be continued)