ISSN 0972- 1800



VOLUME 22, NO. 1

QUARTERLY

JANUARY-MARCH, 2020



Date of Publication: 28th March, 2020

BIONOTES

A Quarterly Newsletter for Research Notes and News On Any Aspect Related with Life Forms

BIONOTES articles are abstracted/indexed/available in the Indian Science Abstracts, INSDOC; Zoological Record; Thomson Reuters (U.S.A); CAB International (U.K.); The Natural History Museum Library & Archives, London: Library Naturkundemuseum, Erfurt (Germany) etc. and online databases.

Founder Editor

Dr. R. K. Varshney, Aligarh, India

Board of Editors

Peter Smetacek, Bhimtal, India

V.V. Ramamurthy, New Delhi, India

Jean Haxaire, Laplune, France

Vernon Antoine Brou, Jr., Abita Springs, IIS A

Zdenek F. Fric, Ceske Budejovice, Czech Republic

Stefan Naumann, Berlin, Germany

R.K. Kendrick, Hong Kong SAR

Publication Policy

Information, statements or findings published are the views of its author/ source only.

Manuscripts

Please E-mail to petersmetacek@gmail.com.

Guidelines for Authors

BIONOTES publishes short notes on any aspect of biology. Usually submissions are reviewed by one or two reviewers.

Kindly submit a manuscript after studying the format used in this journal (http://www.entosocindia.org/). Editor reserves the right to reject articles that do not adhere to our format. Please provide a contact telephone number. Authors will be provided with a pdf file of their publication.

Address for Correspondence

Butterfly Research Centre, Bhimtal, Uttarakhand 263 136, India. Phone: +91 8938896403.

Email: <u>butterflyresearchcentre@gmail.com</u>

From Volume 21

Published by the Entomological Society of India (ESI), New Delhi (Nodal Officer: V.V. Ramamurthy, ESI, New Delhi)

And

Butterfly Research Centre, Bhimtal Executive Editor: Peter Smetacek Assistant Editor: Shristee Panthee Butterfly Research Trust, Bhimtal

Published by Dr. R.K. Varshney, A Biologists Confrerie, Raj Bhawan, Manik Chowk, Aligarh (up to volume 20 (2018)) R.N.I. Registration No. 71669/99.

Cover Photo by Parixit Kafley of Samia canningi ejecting fluid from tip of abdomen.

TABLE OF CONTENTS

SEVERE INFESTATION OF <i>PODAGRICA FUSCICORNIS</i> (CHEVROLAT, 1837) (CHRYSOMELIDA ON A NEW HOST PLANT <i>ACALYPHA INDICA</i> (L.) (EUPHORBIACEAE) FROM ODISHA, INDIA	E)
by Ashirwad Tripathy	2
SAMIA CANNINGI (INSECTA: LEPIDOPTERA: SATURNIIDAE) HAS A FUNCTIONAL PROBOSC AND ALIMENTARY CANAL by Parixit Kafley & Peter Smetacek	IS 4
A NEW REPORT OF PARTIAL ALBINISM IN A HIMALAYAN BULBUL PYCNONOTO LEUCOGENYS FROM UTTARAKHAND, INDIA	US
by Paramjit Singh, Rajshekhar Singh, Devanshi Singh & Shankar Kumar NEW RECORD OF <i>ILLEIS INDICA</i> TIMBERLAKE, 1943 (COLEOPTERA: COCCINELLIDAE) FRO ODISHA, INDIA	
by Ashirwad Tripathy	9
A COMPENDIUM ON MUSHROOM MITES IN INDIA by Reshma Parveen & Salil Kumar Gupta	11
FOUR NEW BUTTERFLY SPECIES FOR NEPAL: ABISARA CHELA, TAGIADES JAPETUS, LETH DURA & LETHE DISTANS	ΉE
by Piet Van Der Poel, Colin Smith, Mahendra Singh Limbu & Surendra Pariyar	21
EDESSENA GENTIUSALIS (INSECTA: LEPIDOPTERA: EREBIDAE: HERMININAE): A NEW RECORD FOR INDIA by Shristee Panthee, Ambica Agnihotri & Peter Smetacek	24
FIRST RECORD OF JOKER BUTTERFLY <i>BYBLIA ILITHYIA</i> (INSECTA: LEPIDOPTERA: NYMPHALIDAE) FROM PAKISTAN	
by Muhammad Akram Awan, Wali Nohrio & Dileep Permar	26
CONFIRMATION OF THE EXTRA LASCAR <i>PANTOPORIA SANDAKA</i> IN ODISHA, INDIA by Sandeep Mishra & Daya Shanker Sharma	28
PRELIMINARY OBSERVATIONS ON VISITOR SPECTRUM OF <i>RHODODENDRON ARBOREUM</i> IN THE KUMAON HIMALAYA, INDIA	
by Ambica Agnihotri, Alfred Daniel & Piet Van Der Poel	29

A NEW REPORT OF PARTIAL ALBINISM IN A HIMALAYAN BULBUL *PYCNONOTUS LEUCOGENYS* FROM UTTARAKHAND, INDIA

PARAMJIT SINGH¹, RAJSHEKHAR SINGH², DEVANSHI SINGH³, SHANKAR KUMAR⁴

¹PCCF (Retd.)(Uttarakhand Forest Department), 21/II Vasant Vihar, Dehradun, Uttarakhand, 248006, India

paramjit57@yahoo.com

²CEO, A Walk in the Woods, 21/II Vasant Vihar, Dehradun, Uttarakhand, 248006, India walkinwoods.india@gmail.com

³Acturial Analyst, 21/II Vasant Vihar, Dehradun, Uttarakhand, 248006, India devanshisingh95@gmail.com

*4Asst. Professor, Government Post Graduate College, Ranikhet, Almora, 263645, kumarshankar86@gmail.com

Reviewer: M. Ackram Awan

Introduction

Uttarakhand is one of the Himalayan states of India, lying to the west of Nepal. It hosts a significant number of India's bird diversity, with many endemic species. Mohan & Sondhi (2015) recorded 693 species of birds from this region. Himalayan Bulbul (Pycnonotus leucogenys) is a resident of North Pakistan and the Himalaya. It is a crested bulbul with white cheeks, brownish-grey upper parts and yellow vent. It's prominently forward pointing crest is brown (Grimmet et al., 2011). This bird is found in dry habitats, open dry scrub, hillsides with scattered raspberry and Berberis bushes, hedgerows, bushes around towns and villages and secondary growth (Grimmet et al., 2011). A partially albino Himalayan Bulbul was observed in Uttarakhand, India. The albino stage happens due to lack of the pigment melanin in the birds which causes the feathers to become white. Melanin also gives strength to feathers and protects the bird's eyes from the damage caused by ultra violet rays of the sun.

Observation

Albinism is a rare phenomenon and has been recorded in a few avian species in India. A partially albino Himalayan Bulbul was first

photographed at Skimmer Biodiversity Reserve (30°19'29.2"N and 77°59'57.9"E; 644 m amsl), Vasant Vihar, Dehradun, Uttarakhand, when it was foraging amongst leaf-litter on a compost pit on 30th December 2019, at 17:01 hours (IST). The bird was videographed on a mobile phone and photographed with a DSLR camera fitted with a 70-300 mm lens. Identification from photographs was confirmed with the help of Grimmet et al. (2011). On 31st December, 2019 the partially albino Himalayan Bulbul was again seen at the same place and photographed along with normal Himalayan Bulbuls at 17:35 hours (IST). On noon of 1st January 2020 it came to a bird feeder in the immediate vicinity of the location where it was first sighted with the resident flock of normally colored bulbuls. During these three sightings, the bird was with the normally colored bulbuls but it appeared that the other bulbuls were harassing it and they did not allow it to come very near to them. Twice we saw it being chased away by other bulbuls.

Discussion

The Skimmer Biodiversity Reserve has a

variety of grasses, bushes, trees and flowering plants (Fig. 1. Map of Skimmer Biodiversity Reserve) and harbours a range of faunal, especially avifaunal, diversity in a semi-urban setting. It is spread over an area of 800 square metres. In the past two years, we have sighted 60 species of birds from this area. Besides the Himalayan Bulbuls, other interesting birds sighted here are Brahminy Myna Sturnia pagodarum, Indian Grey Hornbill Ocyceros birostris, Shikra Accipiter badius, Lineated Barbet Psilopogon lineatus, Asian Koel Eudynamys scolopaceus, Black-crested Bulbul Pycnonotus melanicterus, Scaly Breasted Munia Lonchura punctulata, Purple Sunbird Cinnyris asiaticus, Baya Weaver Ploceus philippinus, Rufous Treepie Dendrocitta vagabunda, Indian Silverbill Euodice malabarica, Oriental Magpie-robin Copsychus saularis, Jacobin Cuckoo Clamator jacobinus, Common Hoopoe Upupa epops, Greater Coucal Centropus sinensis, Pale billed Flowerpecker Dicaeum ervthrorhvnchos and Grev-headed Woodpecker Picus canus. Every year, House Sparrow Passer domesticus, Oriental White-**Zosterops** palpebrosus, eve Common Tailorbird Orthotomus sutorius, Spotted Dove Streptopelia chinensis, Oriental Magpie-robin Copsychus saularis and Baya Weaver Ploceus philippinus breed in this area. A literature review on albinism indicates that this is the first record of partial albinism in Himalayan Bulbul (Van Grouw et al., 2016). There have been reports of full or partially albino birds from India. A partially albino Common House Crow Corvus splendens was documented from central Aravalli foothills, Ajmer, Rajasthan by Sharma et al. (2015). Partial albinism in a Red-vented Bulbul Pycnonotus cafer was also reported from the central Aravalli foothills, Rajasthan by Sharma et al., (2018). Total albinism in a Red-vented Bulbul was recorded

from Sri Lanka by Gabadage *et al.* (2015). Koul (2019) observed pure and partial albino House Crows (*Corvus splendens*) in Jammu in 2019.

Acknowledgement

The authors are thankful to Mrs. Kamla Singh for letting us make observations in her Reserve and for providing encouragement.

References

Gabadage, D. E., W. M. S. Botejue, A. S. Dias, T. D. Surasinghe & D. M. S. S. Karunarathna. 2015. A case of total albinism in a Red-vented Bulbul *Pycnonotus cafer*. *Indian Birds* 10(6): 162-163.

Grimmet, R., C. Inskipp & T. Inskipp. 2011. Birds of the Indian Subcontinent. 2nd ed. Oxford University Press & Christopher Helm, London. 528 pp.

Koul, S. 2019. First Report of Pure and Partial Albino House Crow (*Corvus splendens*) From Jammu (J. & K.). *International Journal of Recent Scientific Research* 10(02): 30712-30714.DOI:http://dx.doi.org/10.24327/ijrsr.2 019.1002.3108

Mohan, D. & S. Sondhi. 2015. An Updated Checklist of the Birds of Uttarakhand. Revised second edition. Uttarakhand Forest Department, Dehradun. vi + 92 pp.

Sharma, V., L. Sharma, R. K. Kumawat & K.K. Sharma. 2015. Sighting of Partial albino Common House Crow *Corvus splendens* from central Aravalli foothills, Ajmer, Rajasthan, India. *Journal on New Biological Reports* 4(2): 162-163.

Sharma, V., D. Yadav, M. Kumari, A.Verma & S. B. Sheikh. 2018. A case of partial Albinism in Red-vented Bulbul (*Pycnonotus cafer*) from Central Aravalli Foothills, Rajasthan. *Journal on New Biological Reports* 7(2): 56-59.

Van Grouw, H., A. Mahabal, R.M. Sharma & S. Thakur. 2016. How common is albinism

really? Colour aberrations in Indian birds reviewed. Dutch Birding. 38: 301-309.



Fig. 1: Map of the Skimmer Biodiversity Reserve, Vasant Vihar. Courtesy-*Google Earth* ©*2018 Google. Image*©*2019 Maxar Technologies*.





Fig. 2: A partially albino individual of Himalayan bulbul *Pycnonotus leucogenys* (**A**); a normal plumaged Himalayan bulbul can be seen left side close to it (**B**).