

ISSN 0972- 1800



VOLUME 22, NO. 3

QUARTERLY

JULY-SEPTEMBER, 2020



Date of Publication: 28<sup>th</sup> September, 2020

# BIONOTES

**A Quarterly Newsletter for Research Notes and News  
On Any Aspect Related with Life Forms**

BIONOTES articles are abstracted/indexed/available in the Indian Science Abstracts, INSDOC; Zoological Record; **Thomson Reuters (U.S.A); CAB International (U.K.); The Natural History Museum Library & Archives, London; Library Naturkundemuseum, Erfurt (Germany)** etc. and online databases.

## **Founder Editor**

Dr. R. K. Varshney, Aligarh, India

## **Board of Editors**

Peter Smetacek, Bhimtal, India

V.V. Ramamurthy, New Delhi, India

Jean Haxaire, Laplune, France

Vernon Antoine Brou, Jr., Abita Springs,  
U.S.A.

Zdenek F. Fric, Ceske Budejovice, Czech  
Republic

Stefan Naumann, Berlin, Germany

R.C. Kendrick, Hong Kong SAR

## **Publication Policy**

Information, statements or findings  
published are the views of its author/ source  
only.

## **Manuscripts**

Please E-mail to [petersmetacek@gmail.com](mailto:petersmetacek@gmail.com).

## **Guidelines for Authors**

BIONOTES publishes short notes on any  
aspect of biology. Usually submissions are  
reviewed by one or two reviewers.

Kindly submit a manuscript after studying the  
format used in this journal  
(<http://www.entosocindia.org/>).

Editor reserves the right to reject articles that do not  
adhere to our format. Please provide a contact  
telephone number. Authors will be provided  
with a pdf file of their publication.

## **Address for Correspondence**

Butterfly Research Centre, Bhimtal,  
Uttarakhand 263 136, India. Phone: +91  
8938896403.

Email: [butterflyresearchcentre@gmail.com](mailto:butterflyresearchcentre@gmail.com)

## **From Volume 21**

**Published by the Entomological Society of India (ESI), New Delhi (Nodal Officer: V.V.  
Ramamurthy, ESI, New Delhi)**

**And**

**Butterfly Research Centre, Bhimtal**

**Executive Editor: Peter Smetacek**

**Assistant Editor: Shristee Panthee**

**Butterfly Research Trust, Bhimtal**

Published by Dr. R.K. Varshney, A Biologists Confrerie, Raj Bhawan, Manik Chowk,  
Aligarh (up to volume 20 (2018)) R.N.I. Registration No. 71669/99.

Cover Photo of *Spialia zebra* by Mukesh Panwar

## TABLE OF CONTENTS

FIRST RECORD OF RED IMPERIAL BUTTERFLY <i>SUASA LISIDES</i> (INSECTA: LEPIDOPTERA: LYCAENIDAE) FROM TRIPURA, NORTH-EAST INDIA by Nihar Chandra Deb & Sudipta Mandal	110
ADDITION OF THE BUTTERFLY <i>APPIAS GALBA</i> (WALLACE, 1867) TO THE FAUNA OF MANIPUR, INDIA by Jatishwor Singh Irungbam, Harmenn Huidrom & Premjit Singh Elangbam	112
FIRST RECORD OF <i>DODONA DIPOEA</i> HEWITSON, [1866] (LEPIDOPTERA: RIODINIDAE: NEMEOBIINAE) FROM MEGHALAYA, NORTHEASTERN INDIA by Atanu Bora, Laishram Ricky Meitei, Sachin Sharma, Suman Bhowmik & Ngangom Aomoa .....	114
FIRST RECORD OF <i>PSEUDOCATHARYLLA NIGROCILIELLA</i> ZELLER, 1863 (LEPIDOPTERA: CRAMBIDAE) FROM KERALA by Abdulla Paleri, Md. Jahir Rayhan & Amal Ev	117
GECKO EATS ABDOMEN OF <i>ASOTA CARICAE</i> (FABRICIUS, 1775) (LEPIDOPTERA: EREBIDAE: AGANAINAE) by Sem Cordial	119
RANGE EXTENSION OF PURPLE SWIFT <i>CALTORIS TULSI</i> DE NICÉVILLE (LEPIDOPTERA: HESPERIIDAE) TO THE WESTERN HIMALAYA by Shankar Kumar, Raj Shekhar Singh, Paramjit Singh & Sundar Kumar	121
<i>ERANTHEMUM ROSEUM</i> (ACANTHACEAE) A NEW LARVAL HOST PLANT FOR THE CHOCOLATE PANSY BUTTERFLY <i>JUNONIA IPHITA</i> (LEPIDOPTERA: NYMPHALIDAE) by Raju Kasambe	125
NEEM FLOWERS ( <i>AZADIRACHTA INDICA</i> ) AS AN ABUNDANT SOURCE OF NECTAR FOR BUTTERFLIES IN AN URBAN LANDSCAPE IN DELHI, INDIA by Rajesh Chaudhary	128
REDISCOVERY OF THE ASSAM FLASH BUTTERFLY <i>RAPALA TARA</i> (LEPIDOPTERA: LYCAENIDAE) FROM UTTARAKHAND, INDIA by Gaurav Joshi	135
INDIAN TREE FROG <i>POLYPEDATES MACULATUS</i> CAPTURING AND SWALLOWING A LIVE GECKO by Priyadarshini Supekar & Raju Kasambe	136
NEW LARVAL HOST PLANT OF <i>TRYPANOPHORA SEMIHYALINA</i> KOLLAR [1844] (INSECTA: LEPIDOPTERA: ZYGAENIDAE: CHALCOSINAE) FROM WEST BENGAL, INDIA by Arajush Payra	138
FIRST REPORT OF THE NORTHERN JUNGLEQUEEN BUTTERFLY ( <i>STICHOPHTHALMA CAMADEVA</i> ) FROM MIZORAM, INDIA by Lallawmsanga & R. Zoramchhuana	141
<i>ERANTHEMUM ROSEUM</i> (ACANTHACEAE): A NEW LARVAL HOST PLANT FOR THE SOUTHERN BLUE OAKLEAF BUTTERFLY <i>KALLIMA HORSFIELDII</i> KOLLAR, 1844 (LEPIDOPTERA)	108

by Raju Kasambe & Dilip Giri	143
CONFIRMATION OF THE REDBREAST BUTTERFLY <i>PAPILIO ALCMENOR</i> (LEPIDOPTERA: PAPILIONIDAE) IN UTTARAKHAND, INDIA by Rajiv Butalia, Shankar Kumar & Ambica Agnihotri	146
TWO NEW BUTTERFLY SPECIES FOR NEPAL: <i>EUREMA ANDERSONI</i> (PIERIDAE) AND <i>LETHE DAKWANIA</i> (NYMPHALIDAE) by Piet van der Poel	148
THE DRAGONFLY <i>ATRATOTHEMIS REELSI</i> WILSON, 2005 IN NAMDAPHA TIGER RESERVE, NORTHEAST INDIA- AN ADDITION TO THE INDIAN ODONATA FAUNA by Minom Pertin, Roshan Upadhaya, Tajum Yomcha & Arajush Payra	153
FIRST RECORD OF LEECH'S SWIFT <i>CALTORIS BROMUS</i> LEECH, 1894 (INSECTA: LEPIDOPTERA: HESPERIIDAE: HESPERIINAE) FROM WEST BENGAL, INDIA by Rajib Dey	155
OVIPOSITION BY <i>JAMIDES BOCHUS</i> (STOLL, [1782]) (INSECTA: LEPIDOPTERA: LYCAENIDAE) IN NEW DELHI, INDIA by Rajesh Chaudhary & Vinesh Kumar	157
DISTRIBUTIONAL RANGE EXTENSION OF BANANA SKIPPER <i>ERIONOTA TORUS</i> (LEPIDOPTERA: HESPERIIDAE) TO THANE AND PALGHAR DISTRICTS OF MAHARASHTRA, INDIA WITH DISCUSSION ABOUT ITS HARMFUL EFFECTS ON LOCAL BANANA PLANTATIONS by Sagar Sarang, Nilesh Chandorkar, Tejas Mehendale, Gaurav Khule, Abhinav Nair, Omkar Dame & Raju Kasambe	158
NECTAR RETRIEVAL BY INSECT SWARM DOES NOT RESULT IN POLLINATION OF <i>LYONIA OVALIFOLIA</i> FLOWERS IN THE KUMAON HIMALAYA, INDIA by Ambica Agnihotri	163
A COMPREHENSIVE CHECKLIST OF BUTTERFLIES SEEN IN CORBETT TIGER RESERVE, UTTARAKHAND, INDIA by Rajesh Chaudhary, Sanjay Chhimwal & Vinesh Kumar	167
THE ZEBRA SKIPPER BUTTERFLY <i>SPIALIA ZEBRA</i> : AN ADDITION TO THE BUTTERFLIES OF INDIA by Mukesh Panwar	187
CONFIRMATION OF THE ROSY FLASH BUTTERFLY <i>RAPALA ROSACEA</i> (LEPIDOPTERA: LYCAENIDAE) IN MIZORAM, INDIA by Lallawmsanga & Zothansangi	188
SOME NEW DISTRIBUTION RECORDS OF HESPERIID BUTTERFLIES IN NEPAL by Sajan K.C.	190
BUTTERFLIES OF GOVERNMENT NURSERY, BHATAGAON, CHHATTISGARH WITH TWO ADDITIONS TO THE STATE FAUNA by H N Tandan, Gulab Chand, Ravi Naidu & Swati Tandan	195

# DISTRIBUTIONAL RANGE EXTENSION OF BANANA SKIPPER *ERIONOTA TORUS* (LEPIDOPTERA: HESPERIIDAE) TO THANE AND PALGHAR DISTRICTS OF MAHARASHTRA, INDIA WITH DISCUSSION ABOUT ITS HARMFUL EFFECTS ON LOCAL BANANA PLANTATIONS

SAGAR SARANG<sup>1</sup>, NILESH CHANDORKAR<sup>2</sup>, TEJAS MEHENDALE<sup>3</sup>,  
GAURAV KHULE<sup>4</sup>, ABHINAV NAIR<sup>5</sup>, OMKAR DAMLE<sup>6</sup> & RAJU  
KASAMBE<sup>7</sup>

<sup>1</sup>Department of Zoology, K.J.Somaiya College of Science and Commerce, Vidyavihar (E),  
Mumbai, Maharashtra, India 400077  
[sagarsarang53@gmail.com](mailto:sagarsarang53@gmail.com)

<sup>2</sup>Research Centre Wada, Dist. Palghar, Maharashtra, India 421303

<sup>3,4,5,6</sup>Department of Zoology, VPM's B.N. Bhandarkar College of Science, Thane (W), Thane,  
Maharashtra, India 400601

<sup>7</sup>Bombay Natural History Society, Dr. Sâlim Ali Chowk, Shaheed Bhagat Singh Road, Opposite  
Lion Gate, Mumbai, Maharashtra, India 400001

Reviewer: Chitra Narayanasamy

## Abstract

The Banana Skipper *Erionota torus* is reported from Thane and Palghar districts in the northernmost parts of Konkan region in Maharashtra with observations of its different life-stages on banana.

## Introduction

The Banana Skipper *Erionota torus* Evans, 1941 (Lepidoptera: HesperIIDae) has been recorded in India from Uttarakhand to Northeast India, Karnataka, Kerala and Tamil Nadu (Varshney & Smetacek, 2015). Since 2015, it has been reported from various parts of Maharashtra extending towards northern areas of the Western Ghats and west coast (Konkan region) of Maharashtra. It was first observed in Amboli, Sindhudurga district (Hemant Ogale, 2015), Satara (Milind Bhakare, 2016), Tamhanmala, Ratnagiri district (Pranav Gokhale, 2017) and further north in Kurul, Raigad district (Tushar Bhagwat, 2017-18) (*personal communications*) making its appearance to the areas in northern and coastal parts of Maharashtra (Fig. 1).

Banana (*Musa x paradisiaca* (Musaceae)) is an important crop in India. In southern India,

the fruit and leaves are economically important, the latter for use as platters, especially in restaurants. In Maharashtra, the leaves are not usually used as platters and the object of banana plantation owners is to produce fruit.

The occurrence of the adult butterflies, along with immature life-stages, feeding in remarkably large numbers on banana leaves, from an area close to the banana plantation hotspots in Vasai tehsil, Palghar, Maharashtra is a matter of concern. Caterpillars are known to feed voraciously on the leaves of banana, causing qualitative as well as quantitative damage to the plantations. Areas studied in this report showed active infestation by larval stages of *E. torus* on banana plants, indicating the colonisation by this pest species of these regions due to the widespread cultivation of its larval food plant.

### Observations

On 03.xi.2019, in Patonapada village, Yeoor range of Sanjay Gandhi National Park (19°24'15"N, 72°94'09"E; 497 msl), Thane district, Maharashtra, four banana plants in agricultural plantations were found with rolled leaves. Closer observation of the leaves revealed the presence of HesperIIDae caterpillars and pupae in them. The same plants were revisited on 12.xi.2019 and more caterpillars were found. One caterpillar and one pupa were collected. On 14.xi.2019, an adult *E. torus* butterfly emerged.

On 09.xi.2019, in Tungareshwar Wildlife Sanctuary (19°40'33" N, 72°95'56" E; 726 msl), Palghar district, Maharashtra, two banana plants full of rolled leaves were observed. In total there were about 80-90 larval cells as rolled leaves seen. A few of them had actively feeding caterpillars with powdery white substance on their body while a few cells had freshly formed yellow pupae covered with a similar white powdery substance as the larvae. Some of the pupae were darker, indicating the imminent emergence of adult butterflies. Two adult butterflies were also spotted. These individuals were identified as *E. torus* (Bhakare & Ogale, 2018).

Later, on 28.xi.2019, during the second visit to the same location those banana plants were again observed with an increased number of larval cells on the host and correspondingly severe damage by defoliation to both the banana plants. Further, two more visits to the same location showed similar results.

On 05.xii.2019, banana plants in the campus of B.N. Bandodkar College, Thane-West were observed with eggs of *E. torus* on them. Further, on the nearby banana plants, 20-30 larval cells rolled on the leaves were observed. On 14.i.2020, once again 10-15 larval cells and pupae were observed on same plants.

In the month of December 2019, a single, bigger sized banana plant in Dombivli-West, Thane loaded with 30-40 larval cells, mainly

on the larger leaves, was observed. Another banana plant with 20-25 larval cells and pupae was observed in Dombivli-East, Thane in the month of January 2020.

On 08.i.2020, in Kasarwadavali, Thane-West, three banana plants with eggs and larval cells with actively feeding caterpillars were seen. Since these were present on the lower leaves, it was possible to monitor the growth of life-stages in their natural habitat without collecting them. Similar observations were also made in the month of February, 2020.

In the month of February 2020, during a visit to Vasai fort, Vasai-Palghar, it was seen that most of the banana plants present in the vicinity of the fort showed evidence of attack by the *E. torus*.

### Discussion

All the above mentioned observations from various locations indicated the continuing spread of *E. torus* in Thane and Palghar districts. Being known as a pest on banana, the species showed signs of its active and aggressive attack on its host, causing defoliation within this study area too. The infestation by the larval stages of the species showed some ill effects on the banana leaves in the following ways: cutting and rolling of leaves, defoliation leaving only midrib of the leaf and in later stages, drying as well as darkening of the leaf surfaces (Fig.4). A brief summary of all the above mentioned sightings is represented below in the form of an observation table. Locations of the reports from Thane and Palghar districts are indicated on a map (Fig.2).

*E. torus* is also commonly known as banana leaf-roller. Heavy infestation causes the defoliation of banana leaves, leaving only the midrib intact. Such severe defoliation can cause considerable reduction in photosynthetic efficiency of the plant resulting in a decreased bunch size and weight (Jayanthi *et.al*, 2015). Literature revealed that detailed studies on use of biorationals against *E. torus* on banana are not available (Sharanabasappa, 2017).

Between 2015 and 2018, there were several reports of adult insects along with life-stages and their infestations on local banana plantations, observed by people in several districts of Maharashtra mainly from Konkan region and western districts ([www.ifoundbutterflies.org](http://www.ifoundbutterflies.org)). The current report mentioning its occurrence in parts of Thane and Palghar district suggests the need for monitoring the northward spread of this insect in search of banana plantations.

A literature searches (Patwardhan, 2010; Kasambe, 2012; Patwardhan, 2014) revealed that there is no previous record of this species from Sanjay Gandhi National Park or from Thane-Mumbai area, including Sanjay Gandhi National Park or BNHS Nature Reserve, Mumbai (Kasambe *et. al.*, 2018). The butterfly fauna of these places is well documented. It was neither reported from Western Ghats or Maharashtra (Gaonkar, 1996; Kehimkar, 2016) in slightly older literature. Hence, this record of *E. torus* in banana plantations in SGNP assumes importance.

The observations on the increasing incidence and damage from Palghar and Thane is of significance as they are among the major banana growing areas of Maharashtra. The record of this species from Tungareashwar Wildlife Sanctuary is a cause for concern, since the sanctuary is located on outskirts of Vasai. Within a span of 2-3 months, *E. torus* was seen to have reached the interior areas of Vasai tehsil, with the possibility that infestation must have already started among plantations in the area.

In the near future, severe infestation of banana plantations in the area by *E. torus* can be expected in this area.

### References

Bhakare, M. & H. Ogale. 2018. A Guide to Butterflies of Western Ghats (India) Includes Butterflies of Kerala, Tamilnadu, Karnataka, Goa, Maharashtra and Gujarat state. Privately published, Satara. x + 496 pp.

Table.1- *E. torus* life-stages observed in Thane and Palghar districts (Fig.3)

Gaonkar, H. 1996. Butterflies of Western Ghats, India (including Sri Lanka): A Biodiversity Assessment of a Threatened Mountain System. Unpublished report submitted to Centre for Ecological Sciences, Indian Institute of Science, Bangalore. 82 pp.

Jayanthi, P.D.K., P.V. Rami Reddy, Kempraj V. and P.R. Shashank. 2015. Outbreak of banana skipper, *Erionota torus* Evans (Lepidoptera: Hesperiiidae) in southern India: Evidence of expanded geographic range. *Pest Management in Horticultural Ecosystems*. 21(1): 95-97.

Kasambe, R. 2012. Butterfly fauna of the Sanjay Gandhi National Park and Mumbai, Maharashtra. *Bionotes* 14 (3): 76-80.

Kasambe, R., B. Grampurohit, O. Joshi and P. Supekar. 2018. Butterfly Diversity in the BNHS Nature Reserve, Goregaon, Mumbai (Lepidoptera: Rhopalocera). *Bionotes* 20(4): 118-121.

Kehimkar, I. 2016. Butterflies of India. Bombay Natural History Society, Mumbai. xii + 528 pp.

Patwardhan, A. 2010. Sightings of rare butterfly species and a new record from Sanjay Gandhi National Park, Mumbai and Tungareashwar Sanctuary, Thane, India. *Zoos' Print*. 25(5):19-22.

Patwardhan A. 2014. Butterflies of Sanjay Gandhi National Park, Mumbai, Maharashtra, India. *Ambient Science* 1(1):7-15.

Sharanabasappa. 2017. Biorational Insecticides for the Management of *Erionota torus* Evans (Hesperiiidae: Lepidoptera) on Banana. *Pesticide Research Journal* 29(1): 93-97.

Varshney, R.K. & P. Smetacek (eds.). 2015. A synoptic catalogue of the Butterflies of India. Butterfly Research Centre, Bhimtal and Indinov Publishing, New Delhi. ii + 261 pp., 8pl.

Location	Date	Life-stages
Yeoor Range, SGNP, Thane	03-xi-2019	Caterpillars
	12-xi-2019	Caterpillars
	14-xi-2019	Adult reared
B.N.Bandodkar College Campus, Thane	05-xii-2019	Eggs, pupae (empty)
	14-i-2020	Larval cells, pupae
Dombivli, Thane	23-xii-2019	Larval cells
	26-i-2020	Larval cells, Pupae
Kasarwadavali, Thane	08-i-2020	Eggs, larval cells
	07-ii-2020	Adult, pupae (empty)
Vasai Fort, Palghar	16-ii-2020	Adult, larval cells



Fig.1: Records of *E. torus* from various locations in Maharashtra (2015-2018)



Fig. 2: Records of *E. torus* in Thane and Palghar district, Maharashtra (November 2019 – February 2020)



Fig.3: Egg



Fig.4: Caterpillar of early stage



Fig.5: Caterpillar of late stage





Fig.6: Pupa



Fig.7: *Erionota torus*, upperside



Fig.8: *Erionota torus*, underside



Fig.9



Fig.10



Fig.11



Fig.13



Fig.12

Fig. 9-13: Destruction of banana leaves caused by larval and pupal cells of *E. torus*