ISSN 0972-1800



VOLUME 22, NO. 4

QUARTERLY

OCTOBER-DECEMBER, 2020



Date of Publication: 19th February, 2021

BIONOTES

A Quarterly Newsletter for Research Notes and News On Any Aspect Related with Life Forms

BIONOTES articles are abstracted/indexed/available in the Indian Science Abstracts, INSDOC; Zoological Record; Thomson Reuters (U.S.A); CAB International (U.K.); The Natural History Museum Library & Archives, London: Library Naturkundemuseum, Erfurt (Germany) etc. and online databases.

Founder Editor

Dr. R. K. Varshney, Aligarh, India

Board of Editors

Peter Smetacek, Butterfly Research Centre, Bhimtal, India petersmetacek@gmail.com

V.V. Ramamurthy, New Delhi, India <u>vvrento@gmail.com</u>

Zdenek F. Fric, Biology Centre, Czech Academy of Sciences, Institute of Entomology, Branisovska 31, CZ-37005 Ceske Budejovice, Czech Republic. <u>fric@entu.cas.cz</u>.

Stefan Naumann, Berlin, Germany <u>sn@saturniidae.com</u>

R.C. Kendrick, Hong Kong SAR <u>hkmoths@gmail.com</u>

Publication Policy

Information, statements or findings published are the views of its author/ source only.

Manuscripts

Please E-mail to petersmetacek@gmail.com.

Guidelines for Authors

BIONOTES publishes short notes on any aspect of biology. Usually submissions are reviewed by one or two reviewers.

Kindly submit a manuscript after studying the format used in this journal (<u>http://www.entosocindia.org/</u>). Editor reserves the right to reject articles that do not adhere to our format. Please provide a contact telephone number. Authors will be provided with a pdf file of their publication.

Address for Correspondence

Butterfly Research Centre, Bhimtal, Uttarakhand 263 136, India. Phone: +91 8938896403.

Email: <u>butterflyresearchcentre@gmail.com</u>

From Volume 21 Published by the Entomological Society of India (ESI), New Delhi (Nodal Officer: V.V. Ramamurthy, ESI, New Delhi) And Butterfly Research Centre, Bhimtal Executive Editor: Peter Smetacek Assistant Editor: Shristee Panthee Butterfly Research Trust, Bhimtal

Published by Dr. R.K. Varshney, A Biologists Confrerie, Raj Bhawan, Manik Chowk, Aligarh (up to volume 20 (2018)) R.N.I. Registration No. 71669/99.

TABLE OF CONTENTS

REDISCOVERY OF SMALL SILVERFORK, <i>LETHE JALAURIDA</i> (INSECTA: LEPIDOPTERA: NYMPHALIDAE) FROM GARHWAL, UTTARAKHAND, INDIA by Harish Bhatt, Shankar Kumar & Paramjit Singh 198
AEGLE MARMELOS (RUTACEAE): A NEW LARVAL HOST PLANT FOR THE BLUE MORMON BUTTERFLY PAPILIO POLYMNESTOR
by Raju Kasambe & Dilip Giri 201 CONFIRMATORY RECORD OF WAX DART <i>CUPITHA PURREEA</i> MOORE, 1881
(INSECTA: LEPIDOPTERA: HESPERIIDAE) FROM JHARKHAND, INDIA by Rajib Dey, Soumyajit Mondal, Supratim Deb, Subhajit Roy & Sourabh Biswas 205
NEW RECORD OF TAWNY RAJAH <i>CHARAXES BERNARDUS</i> (INSECTA: LEPIDOPTERA: NYMPHALIDAE) FROM KUMAON, UTTARAKHAND, INDIA by Shankar Kumar, Param Jit Singh, Sagar Balmiki & Kasim Bilal 207
BURMEIA LEESI MINET, 2013 (LEPIDOPTERA: EPICOPEIIDAE): A NEW GENUS AND SPECIES FOR INDIA by Peter Smetacek 209
REPORT ON ADULT BEETLE <i>CELOSTERNA SCABRATOR</i> (FABRICIUS, 1781) (COLEOPTERA: CERAMBYCIDAE: LAMIINAE) FEEDING ON VEGETABLE PIGEONPEA by Harshita A. P., Gopali, J. B., Ramanagouda S. H. Mudassar & Sangamesh, R. H. 211
FIRST RECORD OF <i>PRIONOMMA BIGIBBOSUM</i> (COLEOPTERA: CERAMBYCIDAE) FROM NEPAL by Sajan K.C., Rajkumar K.C. & Bhanubhakta Adhikari 214
REDISCOVERY OF TIGER HOPPER <i>OCHUS SUBVITTATUS</i> (INSECTA: LEPIDOPTERA: HESPERIIDAE) FROM UTTARAKHAND, INDIA by Shankar Kumar, Param Jit Singh & Sundar Kumar 216
NEW HESPERIIDAE (INSECTA: LEPIDOPTERA) LARVAL HOST PLANT ASSOCIATIONS FROM WEST BENGAL, INDIA by Rajib Dey 218
SOME NEW DISTRIBUTION RECORDS OF LYCAENID BUTTERFLIES IN NEPAL by Sajan K.C. & Anisha Sapkota 226
<i>ERANTHEMUM ROSEUM</i> (ACANTHACEAE) AS NEW LARVAL HOST PLANT FOR THE BENGAL SPOTTED FLAT <i>CELAENORRHINUS PUTRA</i> (MOORE, [1866]) by Raju Kasambe & Dilip Giri 230
FIRST RECORDS FOR NEPAL OF TWO HESPERIIDAE: GEROSIS SINICA AND CEPHRENES ACALLE by Piet van der Poel 233
CONFIRMATION OF <i>RAGADIA CRISILDA</i> (HEWITSON 1862) (LEPIDOPTERA: SATYRINAE) AND <i>MATAPA CRESTA</i> (EVANS 1949) (LEPIDOPTERA: HESPERIINAE) IN WEST BENGAL, INDIA

by Sourabh Biswas, Sandip Das, Rahul Biswas, Amarttya Bagchi, Ram Chandra Sha Mahato	& Lakhu 236
<i>PSILOGRAMMA VATES</i> (LEPIDOPTERA: SPHINGIDAE) IN GUJARAT by Peter Smetacek, Rajashree Bhuyan & Pratiksha Patel	238
AN ADDITION TO THE KNOWN AGANAINAE FAUNA (INSECTA: LEPID EREBIDAE) OF INDIA	OPTERA:
by B. Lalnghahpuii & Peter Smetacek	240
A NEW RECORD OF <i>FLOS CHINENSIS</i> (INSECTA: LEPIDOPTERA: LYCAENIDA WESTERN HIMALAYA, INDIA	E) FROM
by Shankar Kumar, Param Jit Singh, Sundar Kumar & Niharika Bisht	242
LIFE CYCLE OF <i>OLIGONYCHUS ORYZAE</i> (HIRST, 1926), AN IMPORTANT PADDY ON 3 DIFFERENT <i>KHARIF</i> CULTIVARS AND <i>BORO</i> CULTIVAR LABORATORY CONDITIONS	
by Sugandha Mukhopadhyay & Salil Kumar Gupta	244
A NEW ALTITUDINAL RECORD FOR <i>PORITIA HEWITSONI</i> (INSECTA: LEPID LYCAENIDAE) FROM UTTARAKHAND, INDIA	OPTERA:
by Akash Gulalia	249
EXTENSION OF THE KNOWN DISTRIBUTION OF THE CLUB SIL BUTTERFLY, <i>SPINDASIS SYAMA</i> (HORSEFIELD,1829) (LEPIDOPTERA: LYCA TO SATPURA TIGER RESERVE, MADHYA PRADESH	
by Anupam Sisodia & Himanshu Yadav	251
EDITORIAL: REGARDING A CASE OF PLAGIARISM by Peter Smetacek	253
	200

SOME NEW DISTRIBUTION RECORDS OF LYCAENID BUTTERFLIES IN NEPAL SAJAN K.C.¹ & ANISHA SAPKOTA²

^{*1}Pokhara, Kaski-33700, Gandaki Province, Nepal <u>sajankc143@gmail.com</u> ^{1 & 2} Agriculture and Forestry University, Rampur, Chitwan-44209, Bagmati Province, Nepal

Reviewer: Peter Smetacek

Introduction

Butterflies frequently travel from one place to another. This leads to their appearance in new places every now and then. Their colonization of that area mainly depends upon habitat structure and availability of their food plants (Abideen *et al.*, 2015). Moreover, they can be taken as vital ecological indicators and their distribution can be related to factors like habitat loss, fragmentation, land use and most of all, climate change (Thomas *et al.*, 1998).

Nepal is home to 660 species of butterflies (Smith, 2011a). Colin Smith has classified the distribution of butterflies of Nepal into 4 categories. The West (W), area encompassing Karnali watershed. The Center (C) encompassing Gandaki watershed, The East, encompassing Koshi and Mechi watersheds and Kathmandu (K) encompassing Bagmati watershed (Smith 2011b). However, it is inevitable that these distribution records, most of which were taken decades ago, have changed over time, and the species in the east (E) and the west (W) have frequently been seen in Kathmandu (K) and other central Nepal regions (C) as well.

The present note supplements a previous paper on Hesperiids (K.C., 2020), highlighting findings during the past 2 years (2019-2020) in which anomalous records of Lycaenidae butterflies with reference to Colin Smith's distribution records (1994; 2011a; 2011b; 2016) have been presented. Most findings are based on photographic records. ID keys from Evans (1927; 1932) have been followed.

Observations Lycaenidae

1. *Taraka hamada mendesia* Fruhstorfer, 1918 - Forest Pierrot

Only recorded from the east earlier, this species is very common in the central hills. Several individuals were seen in Lamjung, Bhorletar (28°09'57" N; 84°13'02" E) and Kaski, Lakeside (28°26'29" N 83°96'85" E) in central Nepal from March-October.

2.*Sinthusa nasaka pallidior* Fruhstorfer, [1912] - Narrow Spark

This was only recorded from west and Kathmandu earlier: however. several individuals were seen in central Nepal, Bandipur, Tanahun, (27°56'27"N; 84°24'59"E) flying around bushes of Rubus paniculata SM. along with Sinthusa chandrana (Moore, 1882) in March, 2020, at 800 masl

3.*Catochrysops panormus exiguus* (Distant, 1886) - Silver Forget-Me-Not

Recorded only from Kathmandu in the past, a mating pair was seen in Bhorletar, Lamjung (28°09'57" N; 84°13'02" E) in March, 2020 at around 460 masl. The costal spot on the underside forewing is closer to postdiscal band while it is midway between discal and postdiscal band in *C. strabo strabo* (Fabricius, 1793).

4.Tarucus waterstradti dharta Bethune-Baker, [1918] - Assam Pierrot

Three individuals were seen in Bhorletar, Lamjung (28°09'57" N; 84°13'02" E). They were only recorded from Sankhuwasabha, east and as near as Parsa before (Smith, 1994). The discal spots on sp. 5 on UnFW and UnHW were not coalesced to postdiscal band (Evans, 1932) unlike in *Tarucus ananda* (de Nicéville, [1884]) and the UnHW discal spots 3,4 and 5 are fused together forming a forming a straight bar parallel to and well separated from postdiscal line (Basu *et al.*, 2019). Our records were from April, May and June 2020, at around 460 masl.

5. Everes argiades diporides Chapman, 1908 - Chapman's Cupid

An individual was recorded at Bandipur, Tanahun (27°56'13"N; 84°24'04"E), central Nepal, in March at 1121 masl. It was earlier recorded only from west and Kathmandu.

6.*Neopithecops zalmora* (Butler, [1870]) - Common Quaker

Although recorded only from the east before *vide* Smith (2011), they were quite common in Neulapur, Bardiya (28°27'43"N; 81°15'10"E), west in late February, 2020, at 170 masl.

7.*Heliophorus brahma* (Moore, [1858]) - Golden Sapphire

This butterfly was only documented from the east and Kathmandu valley earlier. One individual was observed at Kaadey, Kaski (28°17'29"N; 83°49'23"E), central Nepal at 1750 masl in October, 2020.

8. Tarucus Moore, 1881 sp.

A peculiar Tarucus sp. was encountered at AFU, in Rampur, Chitwan (27°39'10"N; 84°21'12"E), central Nepal at 160 masl, on 14.iii.2020. The other related Tarucus from Nepal, Tarucus callinara Butler, 1886, has spotted and broken post discal spots and unH discal spots 5, 6 and 7 are equidistant and in line (Evans, 1932). The sighted individual has UnhW discal spot 6 much closer to 7 and far away from 5. The postdiscal line is somewhat regular but not as in T. nara (Kollar, 1848) in which it is much like a stripe. The individual could very well have been T. venosus Moore, 1882 which is not recorded from Nepal. Other possibilities are T. balkanica (Freyer, 1844) and T. indica Evans, 1932 none of which are

BIONOTES

recorded from Nepal. The species cannot be confirmed without upperwing, male genitalia and androconia, but is mentioned to alert future workers to examine specimens of the genus in the area.

Discussion

The record of these butterflies in new regions of Nepal proves the flow of species from one part to another, and in most cases, extension of species from the west and the east to central areas. It could also be that these species were always there but never before seen due to scanty exploration. In most cases, the anomalous species were seen in March-May and not in other months. These months are also the best months to observe butterflies in including September-November. Nepal, Further studies could reveal more hidden secrets regarding the distribution of butterflies in Nepal.

Acknowledgement

We are grateful to Mr. Surendra Pariyar and Mr. Piet van der Poel for their kind support.

References

Abideen, A.A, O.G. James & M. Samuel. 2015. Butterfly Species Diversity and Abundance in University of Ibadan Botanical Garden, Nigeria. *Journal of Ecology* 5:352-360.

Basu D.N., P. Churi, A. Soman, A. Sengupta, M. Bhakare, S. Lokhande, S. Bhoite, B. Huertas & K. Kunte. 2019. The genus *Tarucus* Moore, [1881] (Lepidoptera: Lycaenidae) in the Indian Subcontinent. *Trop. Lepid. Res.* 29(2): 87-110.

Evans, W. H. 1927. *The Identification of Indian Butterflies*. 1st ed. Bombay Natural History Society, Bombay. The Diocesan Press, Madras, 302 pp. + 32 pls.

Evans, W. H. 1932. *The Identification of Indian Butterflies*. 2^{nd} ed. Bombay Natural History Society, Bombay. The Diocesan Press, Madras, x + 454 pp. + 32 pls.

Vol. 22 (4), December, 2020

Forster, W. 1941. Neue Lycaeniden-Formen aus China II. *Mitteilungen der Munchner Entomologischen Gesellschaft (e.V.).* 11: 593-627.

K.C. S. 2020. Some new distribution records of Hesperiid butterflies in Nepal. *Bionotes* 22 (3): 190-194.

Smith, C. 1994. *Butterflies of Nepal*. Tecpress Services L.P., Bangkok, Thailand. 368 pp.

Smith, C. 2011a. *Butterflies of Nepal in Natural Environment*. Himalayan Map House (P.) Ltd. Basantapur, Kathmandu, Nepal. 144 pp.

BIONOTES

Smith, C. 2011b. *Illustrated Checklist of Nepal's Butterflies*. Rati Majupuria, Balkhu, Kumari Club, Kathmandu, Nepal. 129 pp.

Smith, C., L. Sherpa & N. Shristi. 2016. Butterflies of Begnas and Rupa Watershed Area. Pokhara, Nepal: LI-BIRD. 174 pp.

Thomas, J.A, D. J. Simcox, J. C. Wardlaw, W. G. Elms, M. E. Hochberg & R. T. Clark. 1998. Effects of latitude, altitude and climate on the habitat and conservation of the endangered butterfly *Maculinea arion* and its *Myrmica* ant host. *Journal of Insect Conservation* 2: 39-46.



Fig.1: Assam Pierrot, underside



Fig.2: Assam Pierrot, upperside



Fig.4: Common Quaker



Fig.5: Golden Sapphire



Fig.3: Chapman's Cupid



Fig.6: Narrow Spark

Vol. 22 (4), December, 2020



Fig.7: Silver Forget-me-not Blue

BIONOTES



Fig.8: Forest Pierrot



Fig.9: Tarucus sp.