

ISSN 0972- 1800



VOLUME 22, NO. 4

QUARTERLY

OCTOBER-DECEMBER, 2020



Date of Publication: 19th February, 2021

BIONOTES

**A Quarterly Newsletter for Research Notes and News
On Any Aspect Related with Life Forms**

BIONOTES articles are abstracted/indexed/available in the Indian Science Abstracts, INSDOC; Zoological Record; **Thomson Reuters (U.S.A); CAB International (U.K.); The Natural History Museum Library & Archives, London; Library Naturkundemuseum, Erfurt (Germany)** etc. and online databases.

Founder Editor

Dr. R. K. Varshney, Aligarh, India

Board of Editors

Peter Smetacek, Butterfly Research Centre, Bhimtal, India

petersmetacek@gmail.com

V.V. Ramamurthy, New Delhi, India

vvrento@gmail.com

Zdenek F. Fric, Biology Centre, Czech Academy of Sciences, Institute of Entomology, Branisovska 31, CZ-37005 Ceske Budejovice, Czech Republic.

fric@entu.cas.cz.

Stefan Naumann, Berlin, Germany

sn@saturniidae.com

R.C. Kendrick, Hong Kong SAR

hkmoths@gmail.com

Publication Policy

Information, statements or findings published are the views of its author/ source only.

Manuscripts

Please E-mail to petersmetacek@gmail.com.

Guidelines for Authors

BIONOTES publishes short notes on any aspect of biology. Usually submissions are reviewed by one or two reviewers.

Kindly submit a manuscript after studying the format used in this journal (<http://www.entosocindia.org/>). Editor

reserves the right to reject articles that do not adhere to our format. Please provide a contact telephone number. Authors will be provided with a pdf file of their publication.

Address for Correspondence

Butterfly Research Centre, Bhimtal, Uttarakhand 263 136, India. Phone: +91 8938896403.

Email: butterflyresearchcentre@gmail.com

From Volume 21

Published by the Entomological Society of India (ESI), New Delhi (Nodal Officer: V.V. Ramamurthy, ESI, New Delhi)

And

Butterfly Research Centre, Bhimtal

Executive Editor: Peter Smetacek

Assistant Editor: Shristee Panthee

Butterfly Research Trust, Bhimtal

Published by Dr. R.K. Varshney, A Biologists Confrerie, Raj Bhawan, Manik Chowk, Aligarh (up to volume 20 (2018)) R.N.I. Registration No. 71669/99.

Cover Photo by Rajib Dey of *Cupitha pureea*

TABLE OF CONTENTS

REDISCOVERY OF SMALL SILVERFORK, <i>LETHE JALAUROIDA</i> (INSECTA: LEPIDOPTERA: NYMPHALIDAE) FROM GARHWAL, UTTARAKHAND, INDIA by Harish Bhatt, Shankar Kumar & Paramjit Singh	198
<i>AEGLE MARMELOS</i> (RUTACEAE): A NEW LARVAL HOST PLANT FOR THE BLUE MORMON BUTTERFLY <i>PAPILIO POLYMNESTOR</i> by Raju Kasambe & Dilip Giri	201
CONFIRMATORY RECORD OF WAX DART <i>CUPITHA PURREEA</i> MOORE, 1881 (INSECTA: LEPIDOPTERA: HESPERIIDAE) FROM JHARKHAND, INDIA by Rajib Dey, Soumyajit Mondal, Supratim Deb, Subhajit Roy & Sourabh Biswas	205
NEW RECORD OF TAWNY RAJAH <i>CHARAXES BERNARDUS</i> (INSECTA: LEPIDOPTERA: NYMPHALIDAE) FROM KUMAON, UTTARAKHAND, INDIA by Shankar Kumar, Paramjit Singh, Sagar Balmiki & Kasim Bilal	207
<i>BURMEIA LEESI</i> MINET, 2013 (LEPIDOPTERA: EPICOPEIIDAE): A NEW GENUS AND SPECIES FOR INDIA by Peter Smetacek	209
REPORT ON ADULT BEETLE <i>CELOSTERNA SCABRATOR</i> (FABRICIUS, 1781) (COLEOPTERA: CERAMBYCIDAE: LAMIINAE) FEEDING ON VEGETABLE PIGEONPEA by Harshita A. P., Gopali, J. B., Ramanagouda S. H. Mudassar & Sangamesh, R. H.	211
FIRST RECORD OF <i>PRIONOMMA BIGIBBOSUM</i> (COLEOPTERA: CERAMBYCIDAE) FROM NEPAL by Sajjan K.C., Rajkumar K.C. & Bhanubhakta Adhikari	214
REDISCOVERY OF TIGER HOPPER <i>OCHUS SUBVITTATUS</i> (INSECTA: LEPIDOPTERA: HESPERIIDAE) FROM UTTARAKHAND, INDIA by Shankar Kumar, Paramjit Singh & Sundar Kumar	216
NEW HESPERIIDAE (INSECTA: LEPIDOPTERA) LARVAL HOST PLANT ASSOCIATIONS FROM WEST BENGAL, INDIA by Rajib Dey	218
SOME NEW DISTRIBUTION RECORDS OF LYCAENID BUTTERFLIES IN NEPAL by Sajjan K.C. & Anisha Sapkota	226
<i>ERANTHEMUM ROSEUM</i> (ACANTHACEAE) AS NEW LARVAL HOST PLANT FOR THE BENGAL SPOTTED FLAT <i>CELAENORRHINUS PUTRA</i> (MOORE, [1866]) by Raju Kasambe & Dilip Giri	230
FIRST RECORDS FOR NEPAL OF TWO HESPERIIDAE: <i>GEROSIS SINICA</i> AND <i>CEPHRENES ACALLE</i> by Piet van der Poel	233
CONFIRMATION OF <i>RAGADIA CRISILDA</i> (HEWITSON 1862) (LEPIDOPTERA: SATYRINAE) AND <i>MATAPA CRESTA</i> (EVANS 1949) (LEPIDOPTERA: HESPERIIDAE) IN WEST BENGAL, INDIA	

by Sourabh Biswas, Sandip Das, Rahul Biswas, Amartya Bagchi, Ram Chandra Sha & Lakhu Mahato	236
<i>PSILOGRAMMA VATES</i> (LEPIDOPTERA: SPHINGIDAE) IN GUJARAT by Peter Smetacek, Rajashree Bhuyan & Pratiksha Patel	238
AN ADDITION TO THE KNOWN AGANAINAE FAUNA (INSECTA: LEPIDOPTERA: EREBIDAE) OF INDIA by B. Lalnghahpuii & Peter Smetacek	240
A NEW RECORD OF <i>FLOS CHINENSIS</i> (INSECTA: LEPIDOPTERA: LYCAENIDAE) FROM WESTERN HIMALAYA, INDIA by Shankar Kumar, Param Jit Singh, Sundar Kumar & Niharika Bisht	242
LIFE CYCLE OF <i>OLIGONYCHUS ORYZAE</i> (HIRST, 1926), AN IMPORTANT PEST OF PADDY ON 3 DIFFERENT <i>KHARIF</i> CULTIVARS AND <i>BORO</i> CULTIVAR UNDER LABORATORY CONDITIONS by Sugandha Mukhopadhyay & Salil Kumar Gupta	244
A NEW ALTITUDINAL RECORD FOR <i>PORITIA HEWITSONI</i> (INSECTA: LEPIDOPTERA: LYCAENIDAE) FROM UTTARAKHAND, INDIA by Akash Gulalia	249
EXTENSION OF THE KNOWN DISTRIBUTION OF THE CLUB SILVERLINE BUTTERFLY, <i>SPINDASIS SYAMA</i> (HORSEFIELD, 1829) (LEPIDOPTERA: LYCAENIDAE) TO SATPURA TIGER RESERVE, MADHYA PRADESH by Anupam Sisodia & Himanshu Yadav	251
EDITORIAL: REGARDING A CASE OF PLAGIARISM by Peter Smetacek	253

FIRST RECORD OF *PRIONOMMA BIGIBBOSUM* (COLEOPTERA: CERAMBYCIDAE) FROM NEPAL

SAJAN K.C.¹, RAJKUMAR K.C.² & BHANUBHAKTA ADHIKARI³

¹Pokhara, Kaski-33700, Gandaki Province, Nepal
sajank143@gmail.com

²Sundarbazar, Lamjung-33600, Gandaki Province, Nepal

³Naudanda, Kaski-33711, Gandaki Province, Nepal

Reviewer: Peter Smetacek

Introduction

The Cerambycidae fauna of Nepal has been well, if not extensively studied. Weigel (2006) and Lazarev (2019) reported some 470 species of Cerambycidae recorded in Nepal.

Prionomma (*Ancyloprotus*) *bigibbosum* (White, 1853) (syn. *Ancyloprotus bigibbosus* White, 1853) (Cerambycidae: Prioninae: Prionini) is a large and striking longhorn beetle, with two characteristic bumps in the middle of pronotum after which it is named "bigibbosum". It measures about 20 lines in length (White, 1853) which roughly converts to 42.3 mm. It is known from Assam, Maharashtra, Manipur, Meghalaya in India up to Myanmar (Mitra *et al.*, 2016), so it was always expected to be found in Nepal. The other related *Prionomma* is *P. atratum* (Gmelin, 1789), recorded from southern India, Arunachal Pradesh and Sri Lanka (Kumawat *et al.*, 2015) but lacks the bumps on pronotum. The peak period for *P. bigibbosum* adult activity is July (Behere *et al.*, 2017).

White (1853) described the color as blackish brown, although in the present specimen it appeared more blackish, probably because it was observed at night in the rain. Two transverse bumps on the pronotum were clearly visible. The shoulders of elytra were somewhat prominent and punctured. Deeply excavated head between the eyes and in front with a slight keel in the middle of excavation. Femora of forelegs with many small warts are visible in the photo as well. Tibiae of forelegs were flattened and curved. Metathorax with

longish ferruginous hairs which are visible on other segments of the thorax as well.

Observation

An individual was observed on the rainy night of 5.vii.2019 at 8:52 PM in Pokhara, Nepal at Sarangkot (28°14'41.7"N 83°58'18.8"E), 1157 masl, inside the premises of Belgian Hotel, about 6 meters away from a light-trap set up during National Moth Week, 2019. It was photographed a few times after which it flew away.

Identification was further confirmed by Sangamesh Hiremath of India, which was corroborated by Mr. Alain Drumont of Belgium on the basis of photographs. It was advised to look for the species again and get a specimen, but unfortunately, the species was never found again.

Discussion

Prioninae are mostly large and very conspicuous Cerambycids. It is very unlikely that they go unnoticed and the fact that it was not included in any of the previous checklists, even in the most recent one, and that this particular species was sighted only once despite many efforts, suggests that it occurs at low density at the extremity of its northern distribution.

Acknowledgements

The authors are grateful to Mr. Sangamesh Hiremath and Mr. Alain Drumont for confirming the species.

References

Behere G. T., D. M. Firake, D. P. Thubru, P. S. Burange & S. V. Ngachan. 2017. Longhorn beetles (Coleoptera: Cerambycidae) of northeastern India: an overview. *Indian Journal of Hill Farming* 2: 42-54.

Kumawat M.M., K. Mamocha Singha & V.V. Ramamurthy. 2015. A checklist of the Longhorned Beetles (Coleoptera: Cerambycidae) of Arunachal Pradesh, northeastern India with several new reports. *Journal of Threatened Taxa* 7(12): 7879-7901. DOI: 10.11609/jott.2378.7879-7901

Lazarev, M.A. & S.V. Murzin, 2019. Catalogue of Nepal Longhorn beetles

(Coleoptera, Cerambycidae). *International Almanac* 8 (6): 746 – 868.

Mitra B., P. Das, K. Mallick, U. Chakraborti and A. Majumder. 2016. New records of longhorn beetles (Cerambycidae: Coleoptera) from Manipur State India with Checklist. *The Journal of Zoology Studies* 3(1): 19-26.

Weigel, A. 2006. Checklist and Bibliography of Longhorn Beetles from Nepal (Insecta: Coleoptera: Cerambycidae). *Biodiversität und Naturlausstattung im Himalaya* II. 5: 495–510.

White, A. 1853. Longicornia I. - In: *Catalogue of the Coleopterous insects in the collection of the British Museum*, part VII. London 7: 19-20.



Fig.1: Two characteristic bumps in the middle of pronotum



Fig.2: *Prionomma (Ancyloprotus) bigibbosum* (White, 1853)