ISSN 0972-1800



VOLUME 23, NO. 4

QUARTERLY

OCTOBER—DECEMBER, 2021



Date of Publication: 24th April, 2022

BIONOTES

A Quarterly Newsletter for Research Notes and News On Any Aspect Related with Life Forms

Founder

Late Dr. R. K. Varshney, Aligarh, India

Board of Editors

Peter Smetacek, Butterfly Research Centre, Bhimtal, India petersmetacek@gmail.com

V.V. Ramamurthy, New Delhi, India <u>vvrento@gmail.com</u>

Zdenek F. Fric, Biology Centre, Czech Academy of Sciences, Institute of Entomology, Branisovska 31, CZ-37005 Ceske Budejovice, Czech Republic. <u>fric@entu.cas.cz</u>.

Stefan Naumann, Berlin, Germany <u>sn@saturniidae.com</u>

R.C. Kendrick, Hong Kong SAR <u>hkmoths@gmail.com</u>

Devanshu Gupta, Zoological Survey of India, Kolkata, India <u>devanshuguptagb4102@gmail.com</u>

Publication Policy

Information, statements or findings published are the views of its author/ source only.

Manuscripts Please E-mail to <u>petersmetacek@gmail.com</u>.

Guidelines for Authors

BIONOTES publishes short notes on any aspect of biology. Usually submissions are reviewed by one or two reviewers.

Kindly submit a manuscript after studying the format used in this journal

(http://www.entosocindia.org/).

Editor reserves the right to reject articles that do not adhere to our format. Please provide a contact telephone number. Authors will be provided with a pdf file of their publication.

Address for Correspondence

Butterfly Research Centre, Bhimtal, Uttarakhand 263 136, India. Phone: +91 8938896403.

Email: <u>butterflyresearchcentre@gmail.com</u>

From Volume 21 Published by the Entomological Society of India (ESI), New Delhi (Nodal Officer: V.V. Ramamurthy, ESI, New Delhi) And Butterfly Research Centre, Bhimtal Executive Editor: Peter Smetacek Assistant Editor: Shristee Panthee Butterfly Research Trust, Bhimtal

Cover Photo of Athyma nefte by Rajib Dey

TABLE OF CONTENTS

EDITORIAL COMMENT ON BUTTERFLIES PROPOSED TO BE INCLUDED IN THE SCHEDULES OF THE WILDLIFE (PROTECTION) AMENDMENT BILL, 2021 150 by Peter Smetacek

TRIUMFETTA RHOMBOIDEA (MALVACEAE) AS NEW LARVAL HOST PLANT FOR THE GREAT EGGFLY BUTTERFLY HYPOLIMNAS BOLINA (LEPIDOPTERA: NYMPHALIDAE) by Raju Kasambe & Dilip Giri 153

NEW DISTRIBUTIONAL RECORD OF EUASPA MOORE, 1884 (LEPIDOPTERA: LYCAENIDAE: THECLINAE) FROM SIKKIM, INDIA

by Janukit Lepcha, Sonam Wangchuk Lepcha, Monish Kumar Thapa, Achintya Pran Hazarika, Nosang Muringla Limboo & Sonam Pintso Sherpa 156

ARECA PALM DYPSIS LUTESCENS (ARECACEAE) AS NEW LARVAL HOST PLANT FOR THE INDIAN PALM BOB SUASTUS GREMIUS (FABRICIUS, 1798) (INSECTA: LEPIDOPTERA: HESPERIIDAE) by Raju Kasambe & Geeta Manchekar 158

MALLOTUS PHILIPPINENSIS (EUPHORBIACEAE): A NEW LARVAL HOST PLANT FOR LOBSTER MOTH STAUROPUS ALTERNUS WALKER, 1855 (LEPIDOPTERA: NOTODONTIDAE) 160

by Raju Kasambe, Hrishikesh Ghogare & Dilip Giri

AN ADDITION TO THE BUTTERFLIES OF ARUNACHAL PRADESH: VEINED PALMER HIDARI BHAWANI

by Mayur H Variya, Roshan Upadhaya, Minom Pertin, Ruksha Limbu, Mitum Rumdo & Monsoon Jyoti Gogoi 163

RECORD OF THE WHITE-PATCH SERGEANT ATHYMA PUNCTATA (INSECTA: LEPIDOPTERA: NYMPHALIDAE) FROM ANINI, ARUNACHAL PRADESH, INDIA by Anung Lego, Joho Tayu, Timai Miwu, Minom Pertin, Mayur H Variya, Roshan Upadhaya & Monsoon Jyoti Gogoi 166

FIRST RECORD OF DESERT BATH WHITE BUTTERFLY PONTIA GLAUCONOME (KLUG, 1829) (LEPIDOPTERA: PIERIDAE) FROM RAJASTHAN, INDIA by Souvick Mukherjee, Kushankur Bhattacharyya & Sourabh Biswas 169

SIGHTINGS OF THE TAILLESS LINEBLUE PROSOTAS DUBIOSA (INSECTA: LEPIDOPTERA: LYCAENIDAE) IN DELHI, INDIA by Rajesh Chaudhary & Chandra Bhusan Maurya 171

RUMEX MARITIMUS L. (POLYGONACEAE): A NEW LARVAL HOST PLANT FOR EUREMA HECABE (INSECTA: LEPIDOPTERA: PIERIDAE) 173 by Aditya Karmakar & Rajib Dey

SOCIO-ECONOMIC SURVEY IN RELATION TO TRADE OF TURTLES IN TWO DISTRICTS OF UTTAR PRADESH. INDIA by Renu Singh, Netrapal Singh Chauhan & Shailendra Singh 176

THE GENUS XANDRAMES MOORE, 1867 (INSECTA: LEPIDOPTERA: GEOMETRIDAE) IN INDIA by B. Lalnghahpuii & Peter Smetacek 185

148

OCCURRENCE OF ANOMALOUS NAWAB POLYURA AGRARIUS (INSECTA: LEPIDOPTERA: NYMPHALIDAE) CONFIRMED IN UTTAR PRADESH, INDIA by Babita Sharma, Sushmita & Ashok Kumar 190 CONFIRMATION OF THE PRESENCE OF MATAPA ARIA (INSECTA: LEPIDOPTERA: HESPERIIDAE) IN UTTAR PRADESH by Sushmita, Babita Sharma & Ashok Kumar 192 EARTHWORM (ANNELIDA: OLIGOCHAETA) DIVERSITY AT SAGAR ISLAND, SOUTH 24 PARGANAS DISTRICT, WEST BENGAL by Amit Chowdhury 194 DIVERSITY OF TUSSOCK MOTHS BELONGING TO TRIBE NYGMIINI HOLLOWAY, 1999 (LYMANTRIINAE: EREBIDAE: LEPIDOPTERA) FROM CHITTAGONG UNIVERSITY, BANGLADESH WITH THREE NEW RECORDS by Md. Jahir Rayhan, J.K. Owaresat Irfan, Sayema Jahan & M. A. Habib Siam 197 FIRST RECORD OF KING CROW EUPLOEA KLUGII (INSECTA: LEPIDOPTERA: NYMPHALIDAE) FROM THE KUMAON HIMALAYA, INDIA 200 by Ambica Agnihotri BIBASIS SENA AND PORITIA HEWITSONII (INSECTA: LEPIDOPTERA: HESPERIIDAE & LYCAENIDAE) RECORDED FROM UTTAR PRADESH, INDIA by Apoorva Gupta 202 ANIMAL RIGHTS IDEOLOGY AND ANIMAL WELFARE PHILOSOPHY IN THE INDIAN CONTEXT by Ryan Lobo & Meghna Unival 204 REPORT ON A LIVE GYNANDROMORPH OF THE COLOR SERGEANT BUTTERFLY

REPORT ON A LIVE GYNANDROMORPH OF THE COLOR SERGEANT BUTTERFLY ATHYMA NEFTE INARA (INSECTA: LEPIDOPTERA: NYMPHALIDAE) FROM INDIA by Kurban Khan, Rajib Dey, Atanu Bose, Shantanu Dey, Anitava Roy & Sourabh Biswas 218

MALLOTUS PHILIPPINENSIS (EUPHORBIACEAE): A NEW LARVAL HOST PLANT FOR LOBSTER MOTH STAUROPUS ALTERNUS WALKER, 1855 (LEPIDOPTERA: NOTODONTIDAE)

RAJU KASAMBE¹, HRISHIKESH GHOGARE² AND DILIP GIRI³

 ^{1 & 3} Bombay Natural History Society, Dr. Sálim Ali Chowk, Shaheed Bhagat Singh Road, Opposite Lion Gate, Mumbai. PIN - 400001. Maharashtra. <u>r.kasambe@bnhs.org</u>
²Ramnarain Ruia College, Matunga (East), Mumbai. PIN - 400019.

Reviewer: Piet van der Poel

The Bombay Natural History Society (BNHS) Nature Reserve is a forested area spread over 33 acres and is nestled between Dadasaheb Phalke Chitra Nagari (aka Film City) and Sanjay Gandhi National Park (SGNP) in Mumbai City of Maharashtra, India. The Reserve also has a small butterfly garden spread over an area of around quarter of an acre.

On 25.viii.2021, while searching for butterfly caterpillars near the butterfly garden, the authors found three caterpillars on branches of Mallotus philippinensis (Euphorbiaceae) locally known as Kumkum tree. These caterpillars mimicked carpenter ants Camponotus spp. The caterpillars were collected and kept in a container for rearing. The caterpillars were provided with fresh leaves of the same plant every day. The rearing container was cleaned of frass every day.

One caterpillar pupated in a silk cocoon between two leaves on 26.viii.2021 and the adult moth eclosed on 8.ix.2021. The remaining two caterpillars pupated in silk cocoons between two leaves on 30.viii.2021. An adult moth eclosed from one of these two on 07.ix.2021. Thus, the moths took 13- and 7days in pupal diapause before eclosion. However, in the third cocoon, three parasitoid pupae were seen on 31.viii.2021. A parasitic fly (resembling a House Fly) eclosed from one of these three pupae on 8.ix.2021. The adult moths were identified as Lobster Moths *Stauropus alternus* Walker, 1855 (Lepidoptera: Noctuoidea: Notodontidae) from images.

On 30.ix.2021, we also found four eggs on the same *M. philippinensis* plant. The eggs hatched on 4.x.2021. The caterpillars were provided with leaves of *M. philippinensis* to feed on. They pupated in silk cocoons between two leaves, three on 24.x.2021 (one eclosing on 3.xi.2021, and two on 4.xi.2021) and the fourth on 28.x.2021 (eclosing on 8.xi.2021). These also were *Stauropus alternus* moths.

Thus, it took 21-22 days to complete the caterpillar stage and 10-11 days of pupal diapause before eclosion.

Stauropus alternus has been mentioned as an occasional and minor pest of Red Gram (Cajanus indicus), Tamarind (Tamarix indica L.), tea (Camellia sinensis), Mangifera indica, Mangifera sp., Theobroma cacao, Xylia dolabriformis (Syn. X. xylocarpa) and Terminalia panicululata (Ayyar, 1960; Mathur & Singh, 1959, 1960). Siddappanji et al. (1974) reported it to be pest on Sapota grafts (Achras sapota). In a recent publication, Vol. 23 (4), December, 2021

BIONOTES

Vaylure (2018) has mentioned Flacourtia indica, Ricinus sp., Careya sp., Cajanus sp., Cassia sp., Ougeinia sp., Pithecllobium sp., Wagatea sp. as the larval host plants of S. alternus. that It is clear Mallotus philippinensis (Euphorbiaceae) has not been reported as a larval host plant for S. alternus and is a new record. Occurrence of eggs and caterpillars and rearing of the caterpillars on the leaves of M. philippinensis till eclosion of adult moths proves it to be a larval host plant of S. alternus.

Acknowledgement

Thanks to Mr. Vinayak Giri, security guard at BNHS Conservation Education Centre (CEC Mumbai), for his help in rearing the caterpillars.

References

Siddappaji, C., Pedda Reddy M. & H.V. Pattanshetti. 1974. Crab Caterpillar *Stauropus*



Fig.1: Lobster Moth eggs on *Mallotus philippensis* leaf



Fig.3: Lobster Moth Caterpillar

alternus Wlk. (Notodontidae: Lepidoptera), a new pest of Sapota (*Achras sapota* L.). *Current Science* 43(19): 631.

Ayyar, T.V.R. 1960. *Handbook of Economic Entomology for South India*. Government of Madras. Pp. 289; 307.

Mathur, R. N. & B. Singh. 1959. A list of insect pests of forest plants in India and the adjacent countries. *Indian Forestry Bull*. 171 (6): 75.

Mathur, R. N. & B. Singh. 1960. A list of insect pests of forest plants in India and the adjacent countries. *Indian Forestry Bull*. 171 (9): 49, 98.

Vaylure, S. 2018. *Field Guide to Indian Moths.* Birdwing Publishers, Navi Mumbai. vi+461.



Fig.2: Lobster Moth caterpillar



Fig.4: Lobster Moth Caterpillar

Vol. 23 (4), December, 2021



Fig.5: Lobster Moth Caterpillar

BIONOTES



Fig.6: Lobster Moth cocoon



Fig.7: Lobster Moth pupa



Fig.8: Freshly eclosed Lobster Moth



Fig.9: Freshly eclosed Lobster Moth