

## FOUR ADDITIONS TO THE LANTERNFLY (INSECTA: FULGOROIDEA: FULGORIDAE) FAUNA OF NEPAL

SAJAN K.C.<sup>1</sup> AND BISHNU PRASAD NEUPANE<sup>2</sup>

<sup>1</sup>Pokhara, Lakeside, Kaski - 33700, Nepal

[sajankc143@gmail.com](mailto:sajankc143@gmail.com)

<sup>2</sup>National Entomology Research Center, Nepal Agricultural Research Council, Khumaltar, Lalitpur - 44700, Nepal

Reviewer: Peter Smetacek

### Abstract

Four species are added to the known Fulgoridae fauna of Nepal. One species, *Polydictya tricolor* (Westwood, 1845) was recorded from Sundarbazar, Lamjung in June 2017, while the other three, *Aphaena (Aphaena) submaculata* (Duncan, 1843), *Lycorma imperialis* White, 1846 and *Penthicodes (Ereosoma) atomaria* (Weber, 1801) were reported from a single location at Bhedetar, Dhankuta, all in August 2021. With this, there are altogether eight species of Fulgoridae recorded from Nepal.

**Keywords:** Fulgoridae, lanternflies, lantern bugs, planthopper, Nepal

### Introduction

The members of Fulgoridae are commonly known as lantern bugs or lanternflies. Bourgoin (2021) lists 774 species of Fulgoridae under 142 genera around the world. These insects are mostly found in the tropics while some genera are also found in temperate regions. About 300 species are found in the Oriental Region alone, which represents about 40% of all known Fulgorids (Constant & Pham, 2019).

The Fulgoridae fauna of Nepal is not well known. Thapa (2000) mentions only four species in this family viz. *Fulgora oculata* Westwood, 1841 (now *Pyrops oculus* (Westwood, 1838)), *F. pyrorhyncha* Donovan, 1800 (now *Pyrops pyrorhynchus* (Donovan, 1800)), *Pyrops punctata* Walker, 1851 (now *Zanna affinis* (Westwood, 1838)) and *Saiva cardinalis* (Butler, 1874). *Zanna affinis* was also listed for Nepal by Constant *et al.* (2016). Thus, so far, only four species have been reported from Nepal.

### Methods and Methodology

The findings are based on opportunistic surveys carried out by the first author across

random districts of Nepal, specifically looking for butterflyflies. The insects were photographed using Canon 7D MarkII camera coupled with 100mm f/2.8L Macro IS USM lens. The GPS location along with altitudes are stored in the camera itself. For identification purpose, Distant (1906) was used. The photographs were sent to Mr. Jerome Constant (Belgium) for further confirmation who identified the specimens based on the photographic evidence.

### Observation

#### List of Species

Suborder Auchenorrhyncha Duméril, 1806  
 Infraorder Fulgoromorpha Evans, 1946  
 Family Fulgoridae Latreille, 1807

Genus *Aphaena* Guérin-Méneville, 1834

1. *Aphaena (Aphaena) submaculata* (Duncan, 1843)

A single individual of *A. submaculata* was seen in Bhedetar, Dhankuta on 12.viii.2021, at 750 masl. The individual was feeding on tree sap inside a forest along with many

individuals of *Lycorma imperialis* White, 1846.

Distribution: Sikkim, Darjiling. (Distant, 1906)

This genus is in need of revision (Constant *et al.*, 2016).

Genus *Penthicodes* Blanchard, 1845

2. *Penthicodes (Ereosoma) atomaria* (Weber, 1801)

One individual of *P. atomaria* was seen in Bhedetar, Dhankuta on 12.viii.2021 at 700 masl. The individual was perched on a leaf along a forest trail.

Distribution: India, Bhutan, China, Cambodia, Indonesia, Malaysia, Laos, Thailand, Vietnam. (Constant, 2010; Jiranaisakul *et al.*, 2018)

Genus *Lycorma* Stal, 1863

3. *Lycorma imperialis* (White, 1846)

Several individuals of *L. imperialis* were seen in Bhedetar, Dhankuta from 11 to 21.viii.2021 at 640-750 masl. Most of the individuals were seen in a group feeding on the sap of an unknown tree, while some were found on forest trails.

Distribution: Sikkim, Assam, Darjiling. (Distant, 1906)

Genus *Polydictya* Guérin-Ménéville, 1844

4. *Polydictya tricolor* (Westwood, 1845)

An individual of *P. tricolor* was found in Sundarbazar, Lamjung on 6.vi.2017 at 610 masl by the first author.

Distribution: Assam, Darjiling (Distant, 1906); India, Assam and Vietnam (Nagain & Porion, 1996).

#### Updated Checklist for Nepal

1. *Aphaena (Aphaena) submaculata* (Duncan, 1843)\*
2. *Pyrops pyrorrhynchus* (Donovan, 1800) = *Fulgora pyrorrhyncha* Donovan, 1800
3. *Pyrops oculatus* (Westwood, 1838) = *Fulgora oculata* Westwood, 1841
4. *Lycorma imperialis* (White, 1846)\*
5. *Penthicodes (Ereosoma) atomaria* (Weber, 1801)\*
6. *Polydictya tricolor* (Westwood, 1845)\*
7. *Saiva cardinalis* (Butler, 1874)

8. *Zanna affinis* (Westwood, 1838)

\*Additions for Nepal

#### Discussion

The Fulgoridae of Nepal have not been well studied. There are very meager records in the literature and practically no preserved specimens. The location of Nepal makes it one of the best places for Fulgoridae, especially in the middle ranges in the east of the country. In the central hills though, we have never come across many of them. A thorough review and much field work on this group is required to come up with a more complete checklist for Nepal. With these four records, and the previous four, only eight species of this group are recorded from Nepal so far.

#### Acknowledgement

The authors are grateful to Mr. Jerome Constant (Royal Belgian Institute of Natural Sciences, Belgium) for verifying the identifications, and Nepal Agricultural Research Council (NARC), Khumaltar, Lalitpur for supporting the research.

#### References

Bourgoin, T. 2019. FLOW (Fulgoromorpha Lists On the Web): a world knowledge base dedicated to Fulgoromorpha. V.8, updated [XII.2018].

<http://hemiptera-databases.org/flow/> [Accessed September 18, 2021].

Constant, J. & H.T. Pham. 2019. Polydictya lanternflies of the Indochinese region: Six new species and identification key (Hemiptera: Fulgoromorpha: Fulgoridae). *Belgian Journal of Entomology* 86: 1–42.

Constant, J. 2010. The lanternfly genus *Penthicodes*: key to the species and review of the “*Ereosoma* group” with two new species and one new subspecies (Hemiptera: Fulgoromorpha: Fulgoridae). *Zootaxa* 2523: 1-26.

Constant, J., S. Phauk & T. Bourgoin. 2016. Updating lanternflies biodiversity knowledge in Cambodia (Hemiptera: Fulgoromorpha: Fulgoridae) by optimizing field work

surveys with citizen science involvement through Facebook networking and data access in FLOW website. *Belgian Journal of Entomology* 37: 1–16.

Distant, W.L. 1906. *The Fauna of British India including Ceylon and Burma*. Rhynchota 3. Heteroptera - Homoptera Heteroptera-family 17 to 24. (Anthoceridae - Coricidae) / Cicadidae, Fulgoridae. Taylor & Francis, London. 503 pp.

Jaranaisakul, K., N. Makbun & J. Constant. 2018. The lanternflies of the *Penthicodes*

(*Ereosoma*) *atomaria*+ species group in Thailand: New records and host plants (Hemiptera: Fulgoridae). *Belgian Journal of Entomology* 71: 1–15.

Nagain, S. & T. Porion. 1996. *Fulgoridae 2: Catalogue illustré des faunes asiatique et australienne*. Sciences Nat. Compiègne. 80 pp., 236 figs.

Thapa, V.K. 2000. *An inventory of Nepal's insects*. Volume III (Hemiptera, Hymenoptera, Coleoptera & Diptera). Kathmandu, Nepal: IUCN. 475 pp.



Fig1: *Aphaena submaculata* (Duncan, 1843)



Fig.2: *Aphaena submaculata* (Duncan, 1843)



Fig.3: *Lycorma imperialis* White, 1846



Fig.4: *Penthicodes atomaria* (Weber, 1801)



Fig.5: *Polydictya tricolor* (Westwood, 1845), Dorsum



Fig.6: *Polydictya tricolor* (Westwood, 1845), Venter



Fig.7: *Polydictya tricolor* hind tibia showing the distinctive four spines, the one near the base smallest (Distant, 1906)